

Diffusion-controlled spherulite growth in obsidian inferred from H₂O concentration profiles

Jim Watkins · Michael Manga · Christian Huber ·
Michael Martin

Published online: 11 September 2008
© Springer-Verlag 2008

Erratum to: Contrib Mineral Petrol
DOI 10.1007/s00410-008-0327-8

The original version of this article unfortunately contained a mistake. The presentation of Equation 2 was incorrect. The corrected equation is given below.

$$\frac{\partial C}{\partial t} - u_r \frac{\partial C}{\partial r} = \frac{\partial}{\partial r} \left(D_{\text{OH}} \frac{\partial C}{\partial r} \right) + \frac{2}{r} D_{\text{OH}} \frac{\partial C}{\partial r}$$

The correct version is the one solved in the paper.

The online version of the original article can be found under doi:[10.1007/s00410-008-0327-8](https://doi.org/10.1007/s00410-008-0327-8).

J. Watkins (✉) · M. Manga · C. Huber
Department of Earth and Planetary Science,
University of California, Berkeley, CA, USA
e-mail: jwatkins@berkeley.edu

M. Manga
e-mail: manga@seismo.berkeley.edu

C. Huber
e-mail: chuber@seismo.berkeley.edu

M. Martin
Advanced Light Source,
Lawrence Berkeley National Laboratory,
Berkeley, CA, USA
e-mail: MCMartin@lbl.gov