Erratum to: De novo generation of plant centromeres at tandem repeats

Chee How Teo · Inna Lermontova · Andreas Houben · Michael Florian Mette · Ingo Schubert

Published online: 14 April 2013
© Springer-Verlag Berlin Heidelberg 2013

Erratum to: Chromosoma
DOI 10.1007/s00412-013-0406-0

The Table 1 of the original publication unfortunately contains error. The corrected Table is shown below:

Table 1 Range of GFP signals in living primary transformants

	EL702C			Col-0		
	Number of plants analyzed	Number of GFP spots		Number of plants analyzed	Number of GFP spots	
		CEN ^d	Non-CEN		CEN ^d	Non-CEN
pcenH3	11 ^a	8 to 12	na	6 ^a	8 to 12	na
pN-cenH3	11 ^b	8 to 12	1 to 4	6	8 to 12	0
pMIS12-N-cenH3	5 ^b	8 to 12	1 to 4	15 ^c	na	0
pC-CENPC-N-cenH3	6 ^b	8 to 12	1 to 4	10	8 to 12	0

na not quantifiable due to nucleoplasmic GFP signals, CEN centromeric

^a Strong nucleoplasmic GFP signals in addition to centromere spots

^b Strong centromeric and one to four smaller GFP spots

^c Very weak nucleoplasmic GFP signals and no presumed centromere spots

^d More than 10 centromeric signals appear rarely when sister centromere cohesion is leaky

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00412-013-0406-0>.

C. H. Teo · I. Lermontova · A. Houben · M. F. Mette · I. Schubert (✉)
Leibniz Institute of Plant Genetics and Crop Plant Research (IPK),
Corrensstrasse 3, 06466 Gatersleben, Germany
e-mail: schubert@ipk-gatersleben.de

Present Address:

C. H. Teo
Agro-Biotechnology Institute, Malaysia (ABI), Ministry of
Science, Technology and Innovation, c/o MARDI Headquarters,
43400, Serdang, Selangor, Malaysia