



Correction to: Frequency of fatigue and its changes in the first 6 months after traumatic brain injury: results from the CENTER-TBI study

Nada Andelic^{1,2} · Cecilie Røe^{1,3} · Cathrine Brunborg⁴ · Marina Zeldovich⁵ · Marianne Løvstad^{6,7} · Daniel Løke^{6,7} · Ida M. Borgen^{1,7} · Daphne C. Voormolen⁸ · Emilie I. Howe^{1,3} · Marit V. Forslund¹ · Hilde M. Dahl^{3,9} · Nicole von Steinbuechel⁵ · CENTER-TBI participants investigators

Published online: 10 September 2020
© The Author(s) 2020

Correction to: Journal of Neurology

<https://doi.org/10.1007/s00415-020-10022-2>

The original version of this article unfortunately contained a mistake. The Collaborator name Joukje van der Naalt is incorrectly tagged. Therefore, author name is cited incorrectly in PubMed. The given name and family name should be as follows:

Given name: Joukje.

Family name: van der Naalt.

Acknowledgement Open Access funding provided by University of Oslo (incl Oslo University Hospital). CENTER-TBI participants and investigators Cecilia Åkerlund¹, Krisztina Amrein², Nada Andelic³, Lasse Andreassen⁴, Audny Anke⁵, Anna Antoni⁶, Gérard Audibert⁷, Philippe Azouvi⁸, Maria Luisa Azzolini⁹, Ronald Bartels¹⁰, Pál Barzó¹¹, Romuald Beauvais¹², Ronny Beer¹³, Bo-Michael Bellander¹⁴, Antonio Belli¹⁵, Habib Benali¹⁶, Maurizio Berardino¹⁷, Luigi Beretta⁹, Morten Blaabjerg¹⁸, Peter Bragge¹⁹, Alexandra Brazinova²⁰, Vibeke Brinck²¹, Joanne Brooker²², Camilla Brorsson²³, Andras Buki²⁴, Monika Bullinger²⁵, Manuel Cabeleira²⁶, Alessio Caccioppola²⁷, Emiliana Calappi²⁷, Maria Rosa Calvi⁹, Peter Cameron²⁸, Guillermo Carbayo Lozano²⁹, Marco Carbonara²⁷, Simona Cavallo¹⁷,

Giorgio Chevallard³⁰, Arturo Chierogato³⁰, Giuseppe Citerio^{31,32}, Iris Ceyisakar³³, Hans Clusmann³⁴, Mark Coburn³⁵, Jonathan Coles³⁶, Jamie D. Cooper³⁷, Marta Correia³⁸, Amra Čović³⁹, Nicola Curry⁴⁰, Endre Czeiter²⁴, Marek Czosnyka²⁶, Claire Dahyot-Fizelier⁴¹, Paul Dark⁴², Helen Dawes⁴³, Véronique De Keyser⁴⁴, Vincent Degos¹⁶, Francesco Della Corte⁴⁵, Hugo den Boogert¹⁰, Bart Depreitere⁴⁶, Đula Dilvesi⁴⁷, Abhishek Dixit⁴⁸, Emma Donoghue²², Jens Dreier⁴⁹, Guy-Loup Dulière⁵⁰, Ari Ercole⁴⁸, Patrick Esser⁴³, Erzsébet Ezer⁵¹, Martin Fabricius⁵², Valery L. Feigin⁵³, Kelly Foks⁵⁴, Shirin Frisvold⁵⁵, Alex Furmanov⁵⁶, Pablo Gagliardo⁵⁷, Damien Galanaud¹⁶, Dashiell Gantner²⁸, Guoyi Gao⁵⁸, Pradeep George⁵⁹, Alexandre Ghuysen⁶⁰, Lelde Giga⁶¹, Ben Glocker⁶², Jagoš Golubovic⁴⁷, Pedro A. Gomez⁶³, Johannes Gratz⁶⁴, Benjamin Gravesteijn³³, Francesca Grossi⁴⁵, Russell L. Gruen⁶⁵, Deepak Gupta⁶⁶, Juanita A. Haagsma³³, Iain Haitsma⁶⁷, Raimund Helbok¹³, Eirik Helseth⁶⁸, Lindsay Horton⁶⁹, Jilske Huijben³³, Peter J. Hutchinson⁷⁰, Bram Jacobs⁷¹, Stefan Jankowski⁷², Mike Jarrett²¹, Ji-yao Jiang⁵⁸, Faye Johnson⁷³, Kelly Jones⁵³, Mladen Karan⁴⁷, Angelos G. Kolias⁷⁰, Erwin Kompanje⁷⁴, Daniel Kondziella⁵², Evgenios Koraropoulos⁴⁸, Lars-Owe Koskinen⁷⁵, Noémi Kovács⁷⁶, Ana Kowark³⁵, Alfonso Lagares⁶³, Linda Lanyon⁵⁹, Steven Laureys⁷⁷, Fiona Lecky^{78,79}, Didier Ledoux⁸⁰, Rolf Lefering⁸⁰, Valerie Legrand⁸¹, Aurelie Lejeune⁸², Leon Levi⁸³, Roger Lightfoot⁸⁴, Hester Lingsma³³, Andrew I.R. Maas⁴⁴, Ana M. Castaño-León⁶³, Marc Maegele⁸⁵, Marek Majdan²⁰, Alex Manara⁸⁶, Geoffrey Manley⁸⁷, Costanza Martino⁸⁸, Hugues Maréchal⁵⁰, Julia Mattern⁸⁹, Catherine McMahon⁹⁰, Béla Meleghe⁹¹, David Menon⁴⁸, Tomas Menovsky⁴⁴, Ana Mikolic³³, Benoit Misset⁷⁷, Visakh Muraleedharan⁵⁹, Lynnette Murray²⁸, Ancuta Negru⁹², David Nelson¹, Virginia Newcombe⁴⁸, Daan Nieboer³³, József Nyírádi², Otesile Olubukola⁷⁸, Matej Oresic³³, Fabrizio Ortolano²⁷,

The original article can be found online at <https://doi.org/10.1007/s00415-020-10022-2>.

✉ Nada Andelic
nandelic@online.no

- 1 Department of Physical Medicine and Rehabilitation, Oslo University Hospital, Oslo, Norway
- 2 Faculty of Medicine, Institute of Health and Society, Research Centre for Habilitation and Rehabilitation Models and Services (CHARM), University of Oslo, Oslo, Norway
- 3 Faculty of Medicine, Institute of Clinical Medicine, University of Oslo, Oslo, Norway
- 4 Oslo Centre for Biostatistics and Epidemiology, Oslo University Hospital, Oslo, Norway

- 5 Institute of Medical Psychology and Medical Sociology, University Medical Center, Göttingen, Germany
- 6 Research Department, Sunnaas Rehabilitation Hospital, Bjørnemyr, Norway
- 7 Department of Psychology, Faculty of Social Sciences, University of Oslo, Oslo, Norway
- 8 Department of Public Health, Erasmus MC, University Medical Center, Rotterdam, The Netherlands
- 9 Department of Child Neurology, Oslo University Hospital, Oslo, Norway

Aarno Palotie^{94, 95, 96}, Paul M. Parizel⁹⁷, Jean-François Payen⁹⁸, Natascha Perera¹², Vincent Perlbarg¹⁶, Paolo Persona⁹⁹, Wilco Peul¹⁰⁰, Anna Piippo-Karjalainen¹⁰¹, Matti Pirinen⁹⁴, Horia Ples⁹², Suzanne Polinder³³, Inigo Pomposo²⁹, Jussi P. Posti¹⁰², Louis Puybasset¹⁰³, Andreea Radoi¹⁰⁴, Arminas Ragauskas¹⁰⁵, Rahul Raj¹⁰¹, Malinka Rambadagalla¹⁰⁶, Jonathan Rhodes¹⁰⁷, Sylvia Richardson¹⁰⁸, Sophie Richter⁴⁸, Samuli Ripatti⁹⁴, Saulius Rocka¹⁰⁵, Cecilie Roe¹⁰⁹, Olav Roise^{110, 111}, Jonathan Rosand¹¹², Jeffrey V. Rosenfeld¹¹³, Christina Rosenlund¹¹⁴, Guy Rosenthal⁵⁶, Rolf Rossaint³⁵, Sandra Rossi⁹⁹, Daniel Rueckert⁶², Martin Rusnák¹¹⁵, Juan Sahuquillo¹⁰⁴, Oliver Sakowitz^{89, 116}, Renan Sanchez-Porras¹¹⁶, Janos Sandor¹¹⁷, Nadine Schäfer⁸⁰, Silke Schmidt¹¹⁸, Herbert Schoechl¹¹⁹, Guus Schoonman¹²⁰, Rico Frederik Schou¹²¹, Elisabeth Schwendenwein⁶, Charlie Sewalt³³, Toril Skandsen^{122, 123}, Peter Smielewski²⁶, Abayomi Sorinola¹²⁴, Emmanuel Stamatakis⁴⁸, Simon Stanworth⁴⁰, Robert Stevens¹²⁵, William Stewart¹²⁶, Ewout W. Steyerberg^{33, 127}, Nino Stocchetti¹²⁸, Nina Sundström¹²⁹, Anneliese Synnot^{22, 130}, Riikka Takala¹³¹, Viktória Tamás¹²⁴, Tomas Tamosiutis¹³², Mark Steven Taylor²⁰, Braden Te Ao⁵³, Olli Tenovuori¹⁰², Alice Theadom⁵³, Matt Thomas⁸⁶, Dick Tibboel¹³³, Marjolein Timmers⁷⁴, Christos Toliás¹³⁴, Tony Trapani²⁸, Cristina Maria Tudora⁹², Peter Vajkoczy¹³⁵, Shirley Vallance²⁸, Egils Valeinis⁶¹, Zoltán Vámos⁵¹, Mathieu van der Jagt¹³⁶, Gregory Van der Steen⁴⁴, Joukje van der Naalt⁷¹, Jeroen T.J.M. van Dijk¹⁰⁰, Thomas A. van Essen¹⁰⁰, Wim Van Hecke¹³⁷, Caroline van Heugten¹³⁸, Dominique Van Praag¹³⁹, Thijs Vande Vyvere¹³⁷, Roel P. J. van Wijk¹⁰⁰, Alessia Vargiolu³², Emmanuel Vega⁸², Kimberley Velt³³, Jan Verheyden¹³⁷, Paul M. Vespa¹⁴⁰, Anne Vik^{122, 141}, Rimantas Vilcinis¹³², Victor Volovici⁶⁷, Nicole von Steinbüchel³⁹, Daphne Voormolen³³, Petar Vulekovic⁴⁷, Kevin K.W. Wang¹⁴², Eveline Wiegers³³, Guy Williams⁴⁸, Lindsay Wilson⁶⁹, Stefan Winzeck⁴⁸, Stefan Wolf¹⁴³, Zhihui Yang¹⁴², Peter Ylén¹⁴⁴, Alexander Younsi⁸⁹, Frederick A. Zeiler^{48, 145}, Veronika Zelinkova²⁰, Agate Ziverte⁶¹, Tommaso Zoerle²⁷

¹Department of Physiology and Pharmacology, Section of Perioperative Medicine and Intensive Care, Karolinska Institutet, Stockholm, Sweden; ²János Szentágothai Research Centre, University of Pécs, Pécs, Hungary; ³Division of Clinical Neuroscience, Department of Physical Medicine and Rehabilitation, Oslo University Hospital and University of Oslo, Oslo, Norway; ⁴Department of Neurosurgery, University Hospital Northern Norway, Tromsø, Norway; ⁵Department of Physical Medicine and Rehabilitation, University Hospital Northern Norway, Tromsø, Norway; ⁶Trauma Surgery, Medical University Vienna, Vienna, Austria; ⁷Department of Anesthesiology & Intensive Care, University Hospital Nancy, Nancy, France; ⁸Raymond Poincaré hospital, Assistance Publique – Hôpitaux de Paris, Paris, France; ⁹Department of Anesthesiology & Intensive Care, S Raffaele University Hospital, Milan, Italy; ¹⁰Department of Neurosurgery, Radboud University Medical Center, Nijmegen, The Netherlands; ¹¹Department of Neurosurgery, University of Szeged, Szeged, Hungary; ¹²International Projects Management, ARTTIC, München, Germany; ¹³Department of Neurology, Neurological Intensive Care Unit, Medical University of Innsbruck, Innsbruck, Austria; ¹⁴Department of Neurosurgery & Anesthesia & intensive care medicine, Karolinska University Hospital, Stockholm, Sweden; ¹⁵NIHR Surgical Reconstruction and Microbiology Research Centre, Birmingham, UK; ¹⁶Anesthésie-Réanimation, Assistance Publique – Hôpitaux de Paris, Paris, France; ¹⁷Department of Anesthesia & ICU, AOU Città della Salute e della Scienza di Torino—Orthopedic and Trauma Center, Torino, Italy; ¹⁸Department of Neurology, Odense University Hospital, Odense, Denmark; ¹⁹BehaviourWorks Australia, Monash Sustainability Institute, Monash University, Victoria, Australia; ²⁰Department of Public Health, Faculty of Health Sciences and Social Work, Trnava University, Trnava, Slovakia; ²¹Qesgen Systems Inc., Burlingame, California, USA; ²²Australian & New Zealand Intensive Care Research Centre, Department of Epidemiology and Preventive Medicine, School of Public Health and Preventive Medicine, Monash University, Melbourne, Australia; ²³Department of Surgery and Perioperative Science, Umeå University, Umeå, Sweden; ²⁴Department of Neurosurgery, Medical School, University of Pécs,

Hungary and Neurotrauma Research Group, János Szentágothai Research Centre, University of Pécs, Hungary; ²⁵Department of Medical Psychology, Universitätsklinikum Hamburg-Eppendorf, Hamburg, Germany; ²⁶Brain Physics Lab, Division of Neurosurgery, Dept of Clinical Neurosciences, University of Cambridge, Addenbrooke's Hospital, Cambridge, UK; ²⁷Neuro ICU, Fondazione IRCCS Cà Granda Ospedale Maggiore Policlinico, Milan, Italy; ²⁸ANZIC Research Centre, Monash University, Department of Epidemiology and Preventive Medicine, Melbourne, Victoria, Australia; ²⁹Department of Neurosurgery, Hospital of Cruces, Bilbao, Spain; ³⁰NeuroIntensive Care, Niguarda Hospital, Milan, Italy; ³¹School of Medicine and Surgery, Università Milano Bicocca, Milano, Italy; ³²NeuroIntensive Care, ASST di Monza, Monza, Italy; ³³Department of Public Health, Erasmus Medical Center—University Medical Center, Rotterdam, The Netherlands; ³⁴Department of Neurosurgery, Medical Faculty RWTH Aachen University, Aachen, Germany; ³⁵Department of Anaesthesiology, University Hospital of Aachen, Aachen, Germany; ³⁶Department of Anesthesia & Neurointensive Care, Cambridge University Hospital NHS Foundation Trust, Cambridge, UK; ³⁷School of Public Health & PM, Monash University and The Alfred Hospital, Melbourne, Victoria, Australia; ³⁸Radiology/MRI department, MRC Cognition and Brain Sciences Unit, Cambridge, UK; ³⁹Institute of Medical Psychology and Medical Sociology, Universitätsmedizin Göttingen, Göttingen, Germany; ⁴⁰Oxford University Hospitals NHS Trust, Oxford, UK; ⁴¹Intensive Care Unit, CHU Poitiers, Poitiers, France; ⁴²University of Manchester NIHR Biomedical Research Centre, Critical Care Directorate, Salford Royal Hospital NHS Foundation Trust, Salford, UK; ⁴³Movement Science Group, Faculty of Health and Life Sciences, Oxford Brookes University, Oxford, UK; ⁴⁴Department of Neurosurgery, Antwerp University Hospital and University of Antwerp, Edegem, Belgium; ⁴⁵Department of Anesthesia & Intensive Care, Maggiore Della Carità Hospital, Novara, Italy; ⁴⁶Department of Neurosurgery, University Hospitals Leuven, Leuven, Belgium; ⁴⁷Department of Neurosurgery, Clinical centre of Vojvodina, Faculty of Medicine, University of Novi Sad, Novi Sad, Serbia; ⁴⁸Division of Anaesthesia, University of Cambridge, Addenbrooke's Hospital, Cambridge, UK; ⁴⁹Center for Stroke Research Berlin, Charité – Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, and Berlin Institute of Health, Berlin, Germany; ⁵⁰Intensive Care Unit, CHR Citadelle, Liège, Belgium; ⁵¹Department of Anaesthesiology and Intensive Therapy, University of Pécs, Pécs, Hungary; ⁵²Departments of Neurology, Clinical Neurophysiology and Neuroanesthesiology, Region Hovedstaden Rigshospitalet, Copenhagen, Denmark; ⁵³National Institute for Stroke and Applied Neurosciences, Faculty of Health and Environmental Studies, Auckland University of Technology, Auckland, New Zealand; ⁵⁴Department of Neurology, Erasmus MC, Rotterdam, the Netherlands; ⁵⁵Department of Anesthesiology and Intensive care, University Hospital Northern Norway, Tromsø, Norway; ⁵⁶Department of Neurosurgery, Hadassah-hebrew University Medical center, Jerusalem, Israel; ⁵⁷Fundación Instituto Valenciano de Neurorehabilitación (FIVAN), Valencia, Spain; ⁵⁸Department of Neurosurgery, Shanghai Renji hospital, Shanghai Jiaotong University/school of medicine, Shanghai, China; ⁵⁹Karolinska Institutet, INCF International Neuroinformatics Coordinating Facility, Stockholm, Sweden; ⁶⁰Emergency Department, CHU Liège, Belgium; ⁶¹Neurosurgery clinic, Pauls Stradins Clinical University Hospital, Riga, Latvia; ⁶²Department of Computing, Imperial College London, London, UK; ⁶³Department of Neurosurgery, Hospital Universitario 12 de Octubre, Madrid, Spain; ⁶⁴Department of Anesthesia, Critical Care and Pain Medicine, Medical University of Vienna, Austria; ⁶⁵College of Health and Medicine, Australian National University, Canberra, Australia; ⁶⁶Department of Neurosurgery, Neurosciences Centre & JPN Apex trauma centre, All India Institute of Medical Sciences, New Delhi-110029, India; ⁶⁷Department of Neurosurgery, Erasmus MC, Rotterdam, the Netherlands; ⁶⁸Department of Neurosurgery, Oslo University Hospital, Oslo, Norway; ⁶⁹Division of Psychology, University of Stirling, Stirling, UK; ⁷⁰Division of Neurosurgery, Department of Clinical Neurosciences, Addenbrooke's Hospital & University of Cambridge, Cambridge, UK; ⁷¹Department of Neurology,

University of Groningen, University Medical Center Groningen, Groningen, Netherlands; ⁷²Neurointensive Care, Sheffield Teaching Hospitals NHS Foundation Trust, Sheffield, UK; ⁷³Salford Royal Hospital NHS Foundation Trust Acute Research Delivery Team, Salford, UK; ⁷⁴Department of Intensive Care and Department of Ethics and Philosophy of Medicine, Erasmus Medical Center, Rotterdam, The Netherlands; ⁷⁵Department of Clinical Neuroscience, Neurosurgery, Umeå University, Umeå, Sweden; ⁷⁶Hungarian Brain Research Program—Grant No. KTIA_13_NAP-A-II/8, University of Pécs, Pécs, Hungary; ⁷⁷Cyclotron Research Center, University of Liège, Liège, Belgium; ⁷⁸Centre for Urgent and Emergency Care Research (CURE), Health Services Research Section, School of Health and Related Research (ScHARR), University of Sheffield, Sheffield, UK; ⁷⁹Emergency Department, Salford Royal Hospital, Salford UK; ⁸⁰Institute of Research in Operative Medicine (IFOM), Witten/Herdecke University, Cologne, Germany; ⁸¹VP Global Project Management CNS, ICON, Paris, France; ⁸²Department of Anesthesiology-Intensive Care, Lille University Hospital, Lille, France; ⁸³Department of Neurosurgery, Rambam Medical Center, Haifa, Israel; ⁸⁴Department of Anesthesiology & Intensive Care, University Hospitals Southampton NHS Trust, Southampton, UK; ⁸⁵Cologne-Merheim Medical Center (CMMC), Department of Traumatology, Orthopedic Surgery and Sportmedicine, Witten/Herdecke University, Cologne, Germany; ⁸⁶Intensive Care Unit, Southmead Hospital, Bristol, Bristol, UK; ⁸⁷Department of Neurological Surgery, University of California, San Francisco, California, USA; ⁸⁸Department of Anesthesia & Intensive Care, M. Bufalini Hospital, Cesena, Italy; ⁸⁹Department of Neurosurgery, University Hospital Heidelberg, Heidelberg, Germany; ⁹⁰Department of Neurosurgery, The Walton centre NHS Foundation Trust, Liverpool, UK; ⁹¹Department of Medical Genetics, University of Pécs, Pécs, Hungary; ⁹²Department of Neurosurgery, Emergency County Hospital Timisoara, Timisoara, Romania; ⁹³School of Medical Sciences, Örebro University, Örebro, Sweden; ⁹⁴Institute for Molecular Medicine Finland, University of Helsinki, Helsinki, Finland; ⁹⁵Analytic and Translational Genetics Unit, Department of Medicine; Psychiatric & Neurodevelopmental Genetics Unit, Department of Psychiatry; Department of Neurology, Massachusetts General Hospital, Boston, MA, USA; ⁹⁶Program in Medical and Population Genetics; The Stanley Center for Psychiatric Research, The Broad Institute of MIT and Harvard, Cambridge, MA, USA; ⁹⁷Department of Radiology, University of Antwerp, Edegem, Belgium; ⁹⁸Department of Anesthesiology & Intensive Care, University Hospital of Grenoble, Grenoble, France; ⁹⁹Department of Anesthesia & Intensive Care, Azienda Ospedaliera Università di Padova, Padova, Italy; ¹⁰⁰Dept. of Neurosurgery, Leiden University Medical Center, Leiden, The Netherlands and Dept. of Neurosurgery, Medical Center Haaglanden, The Hague, The Netherlands; ¹⁰¹Department of Neurosurgery, Helsinki University Central Hospital; ¹⁰²Division of Clinical Neurosciences, Department of Neurosurgery and Turku Brain Injury Centre, Turku University Hospital and University of Turku, Turku, Finland; ¹⁰³Department of Anesthesiology and Critical Care, Pitié -Salpêtrière Teaching Hospital, Assistance Publique, Hôpitaux de Paris and University Pierre et Marie Curie, Paris, France; ¹⁰⁴Neurotraumatology and Neurosurgery Research Unit (UNINN), Vall d'Hebron Research Institute, Barcelona, Spain; ¹⁰⁵Department of Neurosurgery, Kaunas University of technology and Vilnius University, Vilnius, Lithuania; ¹⁰⁶Department of Neurosurgery, Rezekne Hospital, Latvia; ¹⁰⁷Department of Anaesthesia, Critical Care & Pain Medicine NHS Lothian & University of Edinburgh, Edinburgh, UK; ¹⁰⁸Director, MRC Biostatistics Unit, Cambridge Institute of Public Health, Cambridge, UK; ¹⁰⁹Department of Physical Medicine and Rehabilitation, Oslo University Hospital/University of Oslo, Oslo, Norway; ¹¹⁰Division of Orthopedics, Oslo University Hospital, Oslo, Norway; ¹¹¹Institute of Clinical Medicine, Faculty of Medicine, University of Oslo, Oslo, Norway; ¹¹²Broad Institute, Cambridge MA Harvard Medical School, Boston MA, Massachusetts General Hospital, Boston MA, USA; ¹¹³National Trauma Research Institute, The Alfred Hospital, Monash University, Melbourne, Victoria, Australia; ¹¹⁴Department of Neurosurgery, Odense University Hospital, Odense, Denmark; ¹¹⁵International Neurotrauma Research Organisation, Vienna, Austria; ¹¹⁶Klinik für

Neurochirurgie, Klinikum Ludwigsburg, Ludwigsburg, Germany; ¹¹⁷Division of Biostatistics and Epidemiology, Department of Preventive Medicine, University of Debrecen, Debrecen, Hungary; ¹¹⁸Department Health and Prevention, University Greifswald, Greifswald, Germany; ¹¹⁹Department of Anaesthesiology and Intensive Care, AUVA Trauma Hospital, Salzburg, Austria; ¹²⁰Department of Neurology, Elisabeth-TweeSteden Ziekenhuis, Tilburg, the Netherlands; ¹²¹Department of Neuroanesthesia and Neurointensive Care, Odense University Hospital, Odense, Denmark; ¹²²Department of Neuromedicine and Movement Science, Norwegian University of Science and Technology, NTNU, Trondheim, Norway; ¹²³Department of Physical Medicine and Rehabilitation, St.Olavs Hospital, Trondheim University Hospital, Trondheim, Norway; ¹²⁴Department of Neurosurgery, University of Pécs, Pécs, Hungary; ¹²⁵Division of Neuroscience Critical Care, John Hopkins University School of Medicine, Baltimore, USA; ¹²⁶Department of Neuropathology, Queen Elizabeth University Hospital and University of Glasgow, Glasgow, UK; ¹²⁷Dept. of Department of Biomedical Data Sciences, Leiden University Medical Center, Leiden, The Netherlands; ¹²⁸Department of Pathophysiology and Transplantation, Milan University, and Neuroscience ICU, Fondazione IRCCS Cà Granda Ospedale Maggiore Policlinico, Milano, Italy; ¹²⁹Department of Radiation Sciences, Biomedical Engineering, Umeå University, Umeå, Sweden; ¹³⁰Cochrane Consumers and Communication Review Group, Centre for Health Communication and Participation, School of Psychology and Public Health, La Trobe University, Melbourne, Australia; ¹³¹Perioperative Services, Intensive Care Medicine and Pain Management, Turku University Hospital and University of Turku, Turku, Finland; ¹³²Department of Neurosurgery, Kaunas University of Health Sciences, Kaunas, Lithuania; ¹³³Intensive Care and Department of Pediatric Surgery, Erasmus Medical Center, Sophia Children's Hospital, Rotterdam, The Netherlands; ¹³⁴Department of Neurosurgery, Kings college London, London, UK; ¹³⁵Neurologie, Neurochirurgie und Psychiatrie, Charité – Universitätsmedizin Berlin, Berlin, Germany; ¹³⁶Department of Intensive Care Adults, Erasmus MC– University Medical Center Rotterdam, Rotterdam, the Netherlands; ¹³⁷ico-Metrix NV, Leuven, Belgium; ¹³⁸Movement Science Group, Faculty of Health and Life Sciences, Oxford Brookes University, Oxford, UK; ¹³⁹Psychology Department, Antwerp University Hospital, Edegem, Belgium; ¹⁴⁰Director of Neurocritical Care, University of California, Los Angeles, USA; ¹⁴¹Department of Neurosurgery, St.Olavs Hospital, Trondheim University Hospital, Trondheim, Norway; ¹⁴²Department of Emergency Medicine, University of Florida, Gainesville, Florida, USA; ¹⁴³Department of Neurosurgery, Charité – Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, and Berlin Institute of Health, Berlin, Germany; ¹⁴⁴VTT Technical Research Centre, Tampere, Finland; ¹⁴⁵Section of Neurosurgery, Department of Surgery, Rady Faculty of Health Sciences, University of Manitoba, Winnipeg, MB, Canada

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.