



Correction to: Current trends among pediatric ophthalmologists to decrease myopia progression—an international perspective

Ofira Zloto^{1,2} · Tamara Wygnanski-Jaffe^{1,2} · Sonal K. Farzavandi^{3,4} · Rosario Gomez-de-Liaño⁵ · Derek T. Sprunger⁶ · Eedy Mezer^{7,8}

Published online: 23 August 2018

© Springer-Verlag GmbH Germany, part of Springer Nature 2018

Correction to: Graefes Arch Clin Exp Ophthalmol
<https://doi.org/10.1007/s00417-018-4078-6>

The published online version contains a mistake in the capturing of figures. Fig. 4 should be displayed as Fig. 1, Fig. 1 as Fig. 2, Fig. 2 as Fig. 3 and Fig. 3 as Fig. 4. The corrected presentation of the title is presented above.

The original article has been corrected.

The online version of the original article can be found at <https://doi.org/10.1007/s00417-018-4078-6>

✉ Eedy Mezer
emezer@gmail.com

¹ Goldschleger Eye Institute, Sheba Medical Center, Ramat Gan, Israel

² Sackler Faculty of Medicine, Tel Aviv University, Tel Aviv, Israel

³ Singapore National Eye Centre, Singapore, Singapore

⁴ Duke-National University of Singapore Graduate Medical School, Singapore, Singapore

⁵ Hospital Clínico/Instituto Castroviejo-Universidad Complutense Madrid, Madrid, Spain

⁶ Department of Ophthalmology, Pediatric and Strabismus Section, Indiana University School of Medicine, Indianapolis, IN, USA

⁷ Department of Ophthalmology, Ruth Rappaport Children's Hospital, Rambam Health Care campus, POB 9907, 3109901 Haifa, Israel

⁸ Bruce Rappaport Faculty of Medicine, Technion, Israel Institute of Technology, I.I.T, Haifa, Israel




Fig. 1




Fig. 2




Fig. 3




Fig. 4