



Correction to: Physiological resolution of periodic breath holding during heavy-intensity Fartlek exercise

David J. Lim¹ · Jae J. Kim¹ · Greg D. Marsh¹ · Glen R. Belfry¹

Published online: 23 October 2018
© Springer-Verlag GmbH Germany, part of Springer Nature 2018

Correction to: European Journal of Applied Physiology
<https://doi.org/10.1007/s00421-018-3986-9>

The original version of this article unfortunately contained a mistake. The presentation of the asterisk symbol and symbols denoting the statistical significance in Table 3 was not correct.

The original article has been corrected.

The corrected Table 3 is given below:

Table 3 Summary of fluctuations in $\dot{V}O_{2p}$ and $\dot{V}CO_{2p}$ between, 25 s and 5 s, intervals within the 30 s cycles CONT-BH, Fartlek, and Fartlek-BH

	CONT-BH		Fartlek-BH	
	25 s	5 s	25 s	5 s
$\dot{V}O_{2p}$ (L min ⁻¹)	2.67	2.25 ^a	2.70	2.20 ^a
SD	0.40	0.50	0.50	0.50
$\dot{V}CO_{2p}$ (L min ⁻¹)	3.13	2.03 ^a	3.29	2.07 ^a
SD	0.80	0.54	0.90	0.70

Data analyzed by two-way repeated-measures ANOVA. Data from 0 to 360 s. Values are given as means \pm SD

25 s the first 25 s of each 30 s cycle, 5 s the last 5 s of each 30 s cycle, CONT-BH continuous breath hold, Fartlek-BH fartlek breath hold, $\dot{V}O_{2p}$ mean pulmonary oxygen uptake, $\dot{V}CO_{2p}$ mean carbon dioxide production

^a25 s different from 5 s

The original article can be found online at <https://doi.org/10.1007/s00421-018-3986-9>.

✉ Glen R. Belfry
gbelfry@uwo.ca

¹ School of Kinesiology, Faculty of Health Sciences, Canadian Center for Activity and Aging, University of Western Ontario, 1151 Richmond Street, London, ON, Canada