




Correction to: Multi-institutional re-evaluation of prognostic factors in chromophobe renal cell carcinoma: proposal of a novel two-tiered grading scheme

Riuko Ohashi^{1,2,3} · Guido Martignoni^{4,5} · Arndt Hartmann⁶ · Anna Caliò⁴ · Diego Segala⁵ · Christine Stöhr⁶ · Sven Wach⁷ · Franziska Erlmeier^{6,8} · Wilko Weichert⁸ · Michael Autenrieth⁹ · Peter Schraml² · Niels J. Rupp² · Chisato Ohe¹⁰ · Yoshiro Otsuki¹¹ · Takashi Kawasaki¹² · Hiroshi Kobayashi¹³ · Kazuhiro Kobayashi¹⁴ · Tatsuhiko Miyazaki¹⁴ · Hiroyuki Shibuya¹⁵ · Hiroyuki Usuda¹⁶ · Hajime Umezu¹⁷ · Fumiyoshi Fujishima¹⁸ · Bungo Furusato^{19,20} · Mitsumasa Osakabe²¹ · Tamotsu Sugai²¹ · Naoto Kuroda²² · Toyonori Tsuzuki²³ · Yoji Nagashima²⁴ · Yoichi Ajioka^{1,3} · Holger Moch² 

Published online: 10 March 2020

© Springer-Verlag GmbH Germany, part of Springer Nature 2020

Correction to: Virchows Archiv

<https://doi.org/10.1007/s00428-019-02710-w>

The legends of Figs. 1 and 3 in the published original version of the above article are incorrect. These are shown correctly as follows:

The online version of the original article can be found at <https://doi.org/10.1007/s00428-019-02710-w>

✉ Holger Moch
holger.moch@usz.ch

Extended author information available on the last page of the article




Fig. 1 **a** ChRCC composed of epithelial, polygonal pale cells and eosinophilic cells (right) with sarcomatoid differentiation (left), composed of spindle cells. Vimentin was positive only in the sarcomatoid differentiation area (left). Epithelial cells were negative for vimentin (right). **b**, **c** chRCC with sarcomatoid differentiation in TCGA cohort (TCGA-KO-8404). Mitoses was easily found in sarcomatoid

differentiation area (**c**, left) and the epithelial area with anaplasia (**c**, right) in this case. **d** Microscopic tumor necrosis comprised of eosinophilic, flocculent cell ghosts with granular nuclear and cytoplasmic debris in the central area. There is loss of underlying architecture (TCGA-KN-8428). Bar = 100 μ m





Fig. 3 Low- and high-grade chRCC in the Japanese (a) and the Italian (b) cohorts

The original article has been corrected.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Affiliations

Riuko Ohashi^{1,2,3} · Guido Martignoni^{4,5} · Arndt Hartmann⁶ · Anna Caliò⁴ · Diego Segala⁵ · Christine Stöhr⁶ · Sven Wach⁷ · Franziska Erlmeier^{6,8} · Wilko Weichert⁸ · Michael Autenrieth⁹ · Peter Schraml² · Niels J. Rupp² · Chisato Ohe¹⁰ · Yoshiro Otsuki¹¹ · Takashi Kawasaki¹² · Hiroshi Kobayashi¹³ · Kazuhiro Kobayashi¹⁴ · Tatsuhiko Miyazaki¹⁴ · Hiroyuki Shibuya¹⁵ · Hiroyuki Usuda¹⁶ · Hajime Umezu¹⁷ · Fumiyoshi Fujishima¹⁸ · Bungo Furusato^{19,20} · Mitsumasa Osakabe²¹ · Tamotsu Sugai²¹ · Naoto Kuroda²² · Toyonori Tsuzuki²³ · Yoji Nagashima²⁴ · Yoichi Ajioka^{1,3} · Holger Moch² 

¹ Histopathology Core Facility, Niigata University Faculty of Medicine, 1-757 Asahimachi-dori, Chuo-ku, Niigata 951-8510, Japan

² Department of Pathology and Molecular Pathology, University and University Hospital Zurich, Schmelzbergstrasse 12, CH-8091 Zurich, Switzerland

³ Division of Molecular and Diagnostic Pathology, Niigata University Graduate School of Medical and Dental Sciences, 1-757 Asahimachi-dori, Chuo-ku, Niigata 951-8510, Japan

⁴ Department of Diagnostic and Public Health, University of Verona, Piazzale Ludovico Antonio Scuro 10, 37134 Verona, Italy

⁵ Department of Pathology, Pederzoli Hospital, Via Monte Baldo 24, 37019 Peschiera del Garda, Italy

⁶ Institute of Pathology, University Hospital Erlangen, Friedrich-Alexander-University Erlangen-Nürnberg, Krankenhausstrasse 8-10, 91054 Erlangen, Germany

⁷ Department of Urology and Pediatric Urology, University Hospital Erlangen, Friedrich Alexander-University Erlangen-Nürnberg, Krankenhausstrasse 12, 91054 Erlangen, Germany

⁸ Institute of Pathology, Technical University Munich, Trogerstrasse 18, 81675 Munich, Germany

⁹ Department of Urology, Technical University Munich, Klinikum rechts der Isar, Ismaninger Strasse 22, 81675 Munich, Germany

¹⁰ Department of Pathology and Laboratory Medicine, Kansai Medical University, 2-5-1 Shin-machi, Hirakata 573-1010, Japan

¹¹ Department of Pathology, Seirei Hamamatsu General Hospital, 2-12-12 Sumiyoshi, Naka-ku, Hamamatsu 430-8558, Japan

¹² Department of Pathology, Niigata Cancer Center Hospital, 2-15-3 Kawagishi-cho, Chuo-ku, Niigata 951-8566, Japan

¹³ Department of Pathology, Tachikawa General Hospital, 1-24 Asahioka, Nagaoka 940-8621, Japan

¹⁴ Department of Pathology, Gifu University Hospital, 1-1 Yanagido, Gifu 501-1194, Japan

¹⁵ Department of Pathology, Niigata City General Hospital, 463-7 Shumoku, Chuo-ku, Niigata 950-1197, Japan

¹⁶ Department of Diagnostic Pathology, Nagaoka Red Cross Hospital, 2-297-1 Sensyu, Nagaoka 940-2085, Japan

¹⁷ Division of Pathology, Niigata University Medical & Dental Hospital, 1-754 Asahimachi-dori, Chuo-ku, Niigata 951-8520, Japan

¹⁸ Department of Anatomic Pathology, Tohoku University Graduate School of Medicine, 2-1 Seiryō-machi, Aoba-ku, Sendai, Miyagi 980-8575, Japan

¹⁹ Cancer Genomics Unit, Clinical Genomics Center, Nagasaki University Hospital, 1-7-1, Sakamoto, Nagasaki 852-8501, Japan

²⁰ Department of Pathology, Nagasaki University Graduate School of Biomedical Sciences, 1-7-1, Sakamoto, Nagasaki 852-8501, Japan

²¹ Department of Molecular Diagnostic Pathology, School of Medicine, Iwate Medical University, 2-1-1, Idai-dori, Yahaba-cho, Shiwa-gun, Iwate 028-3695, Japan

²² Department of Diagnostic Pathology, Kochi Red Cross Hospital, 1-4-63-11 hadaminamimachi, Kochi, Kochi 780-8562, Japan

²³ Department of Surgical Pathology, Aichi Medical University Hospital, 1-1 Yazakokarimata, Nagakute 480-1195, Japan

²⁴ Department of Surgical Pathology, Tokyo Women's Medical University Hospital, 8-1 Kawada-cho, Shinjuku-ku, Tokyo 162-8666, Japan