



# Correction to: Incidence and prognostic factors in severe drug-induced interstitial lung disease caused by antineoplastic drug therapy in the real world

Sawako Kaku<sup>1,8</sup> · Hidehito Horinouchi<sup>2</sup> · Hirokazu Watanabe<sup>1</sup> · Kan Yonemori<sup>3</sup> · Takuji Okusaka<sup>4</sup> · Narikazu Boku<sup>5</sup> · Naoya Yamazaki<sup>6</sup> · Akira Kawai<sup>7</sup> · Yuichiro Ohe<sup>2,8</sup> · Masahiko Kusumoto<sup>1</sup>

Published online: 2 June 2022

© The Author(s) 2022

**Correction to:**  
**Journal of Cancer Research and Clinical Oncology**  
<https://doi.org/10.1007/s00432-022-03932-3>

The first and 9th author's affiliation details in the original article are incorrect.

The correct 1st author's affiliation is Department of Diagnostic Radiology, National Cancer Center Hospital, 5-1-1 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan; Course of Advanced Clinical Research of Cancer, Juntendo University Graduate School of Medicine, Tokyo, Japan.

The correct 9th author's affiliation is Department of Thoracic Oncology, National Cancer Center Hospital, 5-1-1 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan; Course of Advanced Clinical Research of Cancer, Juntendo University Graduate School of Medicine, Tokyo, Japan.

The "lower gastrointestinal cancer" is incorrectly written as "upper gastrointestinal cancer" in the original article published. The correct sentence is, "The following most common sites of primary cancer were hepatobiliary and pancreatic cancer (9.2%), breast cancer and upper gastrointestinal

cancer (8.3%), lower gastrointestinal cancer, and melanoma (6.7%)".

The Original Article is updated.

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s00432-022-03932-3>.

✉ Hidehito Horinouchi  
hhorinou@ncc.go.jp

<sup>1</sup> Department of Diagnostic Radiology, National Cancer Center Hospital, 5-1-1 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan

<sup>2</sup> Department of Thoracic Oncology, National Cancer Center Hospital, 5-1-1 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan

<sup>3</sup> Department of Medical Oncology, National Cancer Center Hospital, 5-1-1 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan

<sup>4</sup> Department of Hepatobiliary and Pancreatic Oncology, National Cancer Center Hospital, 5-1-1 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan

<sup>5</sup> Department of Gastrointestinal Medical Oncology, National Cancer Center Hospital, 5-1-1 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan

<sup>6</sup> Department of Dermatologic Oncology, National Cancer Center Hospital, 5-1-1 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan

<sup>7</sup> Department of Musculoskeletal Oncology, National Cancer Center Hospital, 5-1-1 Tsukiji, Chuo-ku, Tokyo 104-0045, Japan

<sup>8</sup> Course of Advanced Clinical Research of Cancer, Juntendo University Graduate School of Medicine, Tokyo, Japan