Retraction Note to: CiRS-126 inhibits proliferation of ovarian granulosa cells through targeting the miR-21-PDCD4-ROS axis in a polycystic ovarian syndrome model

Jiafeng Lu¹ · Ying Xue¹ · Yuhang Wang² · Yang Ding¹ · Qinyan Zou¹ · Min Pan³ · Longwei Qiao¹ · Chunhua Zhang¹ · Qinyu Ge⁴ · Ting Wang¹ · Hong Li¹

Published online: 2 July 2021

© Springer-Verlag GmbH Germany, part of Springer Nature 2021

Correction to: *Cell and Tissue Research* (2020) 381:189–201
<https://doi.org/10.1007/s00441-020-03187-9>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The authors have retracted this article. After publication they found that they were unable to replicate their flow cytometry results using a different machine. They then repeated the experiments in the machine used in this study but found inconsistent results which may be due to a problem with maintenance or to contamination of the fluid. All authors agree with this retraction.

The original article can be found online at <https://doi.org/10.1007/s00441-020-03187-9>.

✉ Ting Wang
biowt@163.com

✉ Hong Li
hongliszivf@163.com

Jiafeng Lu
13770601687@163.com

Ying Xue
xueying0304@126.com

Yuhang Wang
staryzi@163.com

Yang Ding
Dingyang0819@163.com

Qinyan Zou
Zouqinyan1975@163.com

Min Pan
Panmin1120@163.com

Longwei Qiao
Qiaolongwei1@126.com

Chunhua Zhang
yiqiu127@163.com

Qinyu Ge
geqinyu@seu.edu.cn

¹ Center for Reproduction and Genetics, Gusu District, Suzhou Municipal Hospital, Nanjing Medical University Affiliated Suzhou Hospital, No. 26 Daoqian Street, Suzhou 215002, Jiangsu, China

² Zhenjiang College, Zhenjiang 212000, Jiangsu, China

³ Department of Pathology and Pathophysiology, Medical School, Southeast University, Nanjing 210009, China

⁴ State Key Laboratory of Bioelectronics, School of Biological Science and Medical Engineering, Southeast University, Nanjing 210096, China