



Correction to: Role of Neurokinin B in gametogenesis and steroidogenesis of freshwater catfish, *Clarias batrachus*

Ankur Singh¹ · Bechan Lal¹ · Pankaj Kumar² · Ishwar S. Parhar³ · Robert P. Millar⁴

Published online: 17 July 2023

© The Author(s), under exclusive licence to Springer-Verlag GmbH Germany, part of Springer Nature 2023

Correction to: Cell and Tissue Research

<https://doi.org/10.1007/s00441-023-03788-0>

The authors regret that Fig. 7 is a repetition of Fig. 6 as presented in the original article. The original figure for Fig. 7 is shown below. The legend and description for the figure (Fig. 7) remain the same but with some minor change.

The original article has been corrected.

The original article can be found online at <https://doi.org/10.1007/s00441-023-03788-0>.

✉ Bechan Lal
lalbhu@yahoo.co.in

- ¹ Fish Endocrinology Laboratory, Department of Zoology, Institute of Science, Banaras Hindu University, 221005 Varanasi, India
- ² Department of Zoology, Rajiv Gandhi University, Rono Hills, Doimukh, Itanagar, Arunachal Pradesh, India
- ³ Brain Research Institute, School of Medicine and Health Sciences, Monash University, Sunway Campus, Malaysia
- ⁴ Centre for Neuroendocrinology, Department of Immunology, University of Pretoria, Pretoria and Department of Integrative Biomedical Sciences, Institute of Infectious Diseases and Molecular Medicine, University of Cape Town, Cape Town, South Africa




Fig. 7 Western blots analysis of StAR, 3β-HSD, 17β-HSD (a) and pERK1/2, ERK1/2, pAkt & Akt proteins (b) in the testicular explants of *Clarias batrachus* incubated with 5 nM and 50 nM of MRK-08 for 24 h in vitro. The expression is presented as an integrated relative density value (IRDV) as an arbitrary unit. All the values are expressed as Mean ± SEM (n=3). Means with the same superscript do not differ from each other, while means with different superscripts

are different from each other statistically at $p < 0.05$ (Duncan's multiple range test). Superscripts *, ** and *** are used for StAR, while superscripts # & ### are used for 3β-HSD and superscripts \$, \$\$ and \$\$\$ for 17β-HSD, respectively (Fig. 7a). Superscripts *, ** and *** are used for p44 and superscripts #, ## & ### for p42 while superscripts \$ and \$\$ for pAkt (Fig. 7b)