Correction to: Silicic conduits as supersized tuffisites: Clastogenic influences on shifting eruption styles at Cordón Caulle volcano (Chile)

C. Ian Schipper¹ · Jonathan M. Castro² · Ben M. Kennedy³ · Hugh Tuffen⁴ · Jack Whattam¹ · Fabian B. Wadsworth⁵ · Rebecca Paisley⁶ · Rebecca H. Fitzgerald³ · Emma Rhodes^{3,7} · Lauren N. Schaefer^{3,8} · Paul A. Ashwell^{3,9} · Pablo Forte^{2,10} · Gilles Seropian³ · Brent V. Alloway^{11,12}

Published online: 19 February 2021

© International Association of Volcanology & Chemistry of the Earth's Interior 2021

Correction to: Bulletin of Volcanology (2021) 83:11
<https://doi.org/10.1007/s00445-020-01432-1>

The original version of this article unfortunately contained a mistake. The presentation of Table 1 was incorrect. The corrected table is given below.

The original article can be found online at <https://doi.org/10.1007/s00445-020-01432-1>

✉ C. Ian Schipper
ian.schipper@vuw.ac.nz

¹ School of Geography, Environment and Earth Sciences, Victoria University of Wellington, PO Box 600, Wellington 6140, New Zealand

² Institute of Geosciences, Johannes Gutenberg University, Mainz, Germany

³ Earth and Environment, University of Canterbury, Private Bag, Christchurch 4800, New Zealand

⁴ Lancaster Environment Centre, Lancaster University, Lancaster LA1 4YQ, UK

⁵ Department of Earth Sciences, Durham University, Durham DH1 3LE, UK

⁶ Department of Earth and Planetary Sciences, McGill University, 3450 Rue University, Montreal, Quebec H3A0E8, Canada

⁷ Department of Earth Sciences, Uppsala University, Uppsala, Sweden

⁸ U.S. Geological Survey, 1711 Illinois St., Golden, CO 80401, USA

⁹ Department of Chemical and Physical Sciences, University of Toronto, Mississauga, Ontario L5L, Canada

¹⁰ Instituto de Estudios Andinos, UBA-CONICET, Buenos Aires, Argentina

¹¹ School of Environment, The University of Auckland, Private Bag, Auckland 92019, New Zealand

¹² Núcleo Milenio Paleoclima, Centro de Estudios del Clima y la Resiliencia, and Departamento de Ciencias Ecológicas, Universidad de Chile, Santiago, Chile

Table 1 Composite Bomb descriptions and analysis types

Name	Lat	Long	Elev	Comment	Figure	Hand Sample	Thin Section	CT	
								SEM	Low High
P13-B01	-40.510	-72.177	1563	Decimetric fragments of obsidian composite around ~2.5 m impact crater					
P13-B10	-40.524	-72.148	1648	Pumice-dominated composite bomb with grey matrix and black foamed interior					
O11-IS	-40.524	-72.147	1645	Large obsidian bomb, with vesicular flow bands	3j	X	X	X	
P13-B12	-40.524	-72.147	1645	Proximal obsidian bomb ("crat")		X	X	X	
P13-B13	-40.525	-72.147	1643	Obsidian-dominated composite bomb. Appears homogeneous in hand sample, composite in thin section ("mini")		X	X	X	
P13-B19	-40.509	-72.156	1565	Decimetric fragments of pumice- and obsidian-dominated composite material around ~1.7 m crater		X			
P13-B20	-40.509	-72.156	1567	Decimetric fragments of obsidian and pumice around ~2.1 m crater					
P13-B21	-40.509	-72.156	1567	~4.2 m impact crater, with ~50 cm pumice-dominated composite bomb (fragment), light grey matrix					
P13-B24	-40.509	-72.156	1563	Decimetric fragments of pumice-dominated, grey-matrix composite bomb at rim of > 5 m diameter impact crater					
P13-B25	-40.509	-72.155	1563	~40 cm composite bomb fragment with mingled obsidian bands and in-situ foamed clasts					
P13-B26	-40.510	-72.155	1561	~4.3 m impact crater with large (<60 cm) fragments of pumice-dominated composite bomb with light grey matrix					
P13-B27	-40.510	-72.155	1560	~6 m impact crater with decimetric fragments of obsidian and pumice breccia					
P13-B32	-40.510	-72.156	1557	Fragments of obsidian-dominated composite bomb at edge of ~2 m impact crater		X			
P13-B35	-40.510	-72.157	1532	Large, intact, extensively breadcrusted, pumice-dominated composite bomb, with obsidian clasts < 15 cm	3c				
P13-B39	-40.510	-72.156	1544	Composite bomb with large borderless pumice separated by vein of red matrix with pumice flamme and obsidian					
P13-B42	-40.510	-72.155	1533	Pumice-dominated composite bomb with angular obsidian clasts, light orange matrix and no defined fabric					
P13-B43	-40.510	-72.155	1534	Composite bomb, appears lava-like on surface, but with large glassy obsidian clast at centre					
P13-B44	-40.510	-72.155	1531	~1.5 m composite bomb fragment in ~4.5 m crater. Pumice-dominated, with many in-situ foamed and obsidian clasts					
P13-B49	-40.504	-72.155	1542	~30 cm dense obsidian-dominated composite bomb, matrix and lithic in isolated domains					
P13-B50	-40.505	-72.155	1528	~50 cm obsidian-dominated bomb fragment at rim of ~4 m crater mantled by pumice fragments		X	X	X	
P13-B51	-40.505	-72.153	1515	~20 cm composite fragments with ~6 m crater. Sharp boundary between obsidian-dominated and pumice-dominated					
P13-B53	-40.505	-72.152	1503	Composite bomb dominated by borderless flamme pumice, orange matrix, striking ~4 cm obsidian clast, breadcrusted	3d	X			
P13-B55	-40.507	-72.154	1562	Coarse pumice-dominated composite, mixture of borderless pumice <50 cm and in situ foamed to ~4 cm. Reddish matrix					
P13-B57	-40.510	-72.155	1527	~1 m pumice-dominated composite with light orange matrix and poorly defined fabric					
P13-B58	-40.510	-72.155	1526	Matrix-dominated composite with abundant in situ foamed pumice. Colour-banded matrix from grey-red	3i, 5b	X	X	X	X
P13-B59	-40.510	-72.154	1506	~1 m obsidian bomb with no obvious matrix but lithic and in situ foamed pumice					
P13-B61	-40.510	-72.151	1452	~60 cm composite dominated by borderless pumice, little matrix, and reddish interior cavity					

Table 1 (continued)

Name	Lat	Long	Elev	Comment	Figure	Hand Sample	Thin Section		CT	
							SEM	Low	High	
P14-038	-40.513	-72.157	1532	Large, breadcrusted composite. Pumice dominated but with large angular obsidian to ~4 cm and grey matrix	4	X	X	X		
P14-B02	-40.510	-72.158	1496	Large mid-density composite bombs with all clast types, variable fabric, and red oxidized matrix	3e, 5c-d	X	X	X	X	X
P14-B05	?	?	?	Obsidian-dominated composite bomb with irregular domains of grey matrix		X				
P14-B52	?	?	?	Obsidian-dominated composite, no obvious matrix, in-situ foamed pumice ~5 cm		X	X	X		
P14-PIC448	?	?	?	Pumice-dominated composite bomb with poorly-defined fabric. Brownish-red matrix, and occasional obsidian						
P14-PIC41	-40.522	-72.148	1616	Dense lava bomb	3b	X	X	X		
P14-PIC46	-40.521	-72.148	1602	Dark, dense (composite?) lava bomb						
P14-PIC40	-40.522	-72.148	1633	Dense lava bomb						
P14-PIC42	-40.521	-72.148	1600	Dense lava bomb	3a					
P14-PIC51	-40.521	-72.149	1591	Obsidian Composite bomb containing lithic clasts						
P14-PIC52	-40.521	-72.149	1581	Large, pumice-dominated composite bomb with dark oxidized interior		X	X	X		
P14-PIC554	-40.524	-72.147	1648	Pumice-dominated composite bomb with irregular oxidation patterns						
P14-PIC555	-40.524	-72.147	1648	Moderately vesicular lava bomb. Oxidized on one surface						
P14-PIC556	-40.524	-72.147	1646	Irregular lava bombs, moderately vesicular						
P14-PIC557	-40.524	-72.147	1650	Moderately vesicular lava bomb. Oxidized on one surface						
P14-PIC558	-40.524	-72.147	1648	Pumice-dominated composite bomb with red oxidized central cavity						
P14-PIC559	-40.524	-72.147	1643	Fractured, pumice-dominated composite bombs with dark/oxidized cavities						
P14-PIC560	-40.524	-72.146	1642	Pumice-dominated composite bomb with red oxidized matrix						
P14-PIC561	-40.524	-72.146	1643	Pumice bomb, with oxidized cavity at interior						
P14-PIC562	-40.524	-72.146	1645	Large lava bomb. Several internal cavities, slight surface oxidation						
P14-PIC565	-40.523	-72.146	1650	Moderately vesicular lava bomb. Oxidized on one surface. Large interior cavity						
P16-B01	-40.508	-72.156	1610	1.5 m diameter, pumice-dominated, breadcrusted composite bomb						
P16-B02	-40.508	-72.156	1609	~80 cm diameter, obsidian + pumice, breadcrusted composite bomb						
P16-B03	-40.509	-72.156	1567	Fragments of pumice-dominated composite bomb with fabric and pink oxidized matrix						
P16-B04	-40.509	-72.156	1566	Fragments of pumice-dominated composite bomb with sparse obsidian to ~3 cm						
P16-B05	-40.513	-72.156	1535	Pumice-dominated composite bomb fragments with glassy in-situ foamed clasts to ~4 cm						
P16-B06	-40.513	-72.156	1535	Obsidian, and frothed obsidian banded composite bomb (concertina)						
P16-B07	-40.512	-72.156	1531	Pumice-fiamme dominated composite bomb with pink matrix and rare obsidian to ~5 cm	3f, 5a	X	X	X	X	X
P16-B09	-40.511	-72.153	1486	High-density, obsidian-dominated composite bomb with orange matrix	3h	X	X	X	X	X
P16-B10	-40.512	-72.150	1483	High-density, glassy, obsidian-dominated composite bomb with lithics but no obvious matrix		X	X	X	X	X
P16-B11	-40.512	-72.150	1470	High-density composite with banded texture, rich in borderless obsidian, small in-situ foaming		X	X	X	X	X
P16-B12	-40.512	-72.150	1444	Moderate density pumice fiamme composite with occasional obsidian to ~3 cm. Breadcrusted		X	X	X	X	X
P16-B13	-40.512	-72.149	1456	Very high-density, obsidian-dominated composite with abundant lava-like lithic clasts		X	X	X	X	X

Table 1 (continued)

Name	Lat	Long	Elev	Comment	Figure	Hand Sample	Thin Section	SEM		CT	
								Low	High	Low	High
P16-B14	-40.512	-72.149	1460	Very high-density, obsidian composite with grey matrix		X	X			X	
P16-B15	-40.511	-72.149	1474	Composite of large borderless pumice clasts with angular and platy obsidian. No obvious matrix							
P16-B16	-40.510	-72.155	1526	Matrix-dominated composite with many in-situ foamed clasts. (pebble/honeycomb bomb)		X	X	X		X	
P16-B17	-40.519	-72.166	1503	Matrix-dominated composite with many in-situ foamed domains that are v. low density and glassy		X	X			X	
P16-B18	-40.519	-72.166	1501	High-density, obsidian-dominated composite with thin tendrils of oxidized matrix		X				X	
P16-B19	-40.519	-72.166	1502	Pumice-dominated composite, lacking fabric, orange matrix							
P16-B20	-40.519	-72.166	1508	Composite with wide variety of angular clasts pumice > obsidian > lithics. Light pink matrix, no fabric	3g	X	X	X		X	
P16-B21	-40.520	-72.166	1502	Variably-foamed, banded, obsidian + foam composite		X	X	X		X	
P16-B22	-40.521	-72.168	1508	Slightly breadcrusted, pumice-dominated composite. Grey matrix. Chaotic fabric							
P16-B23	-40.521	-72.168	1510	Breadcrusted, Pumice-dominated composite with chaotic fabric and outer obsidian rind							

The original article has been corrected.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.