

# Integrated bioprocess for the production and purification of recombinant proteins by affinity chromatography in *Escherichia coli*


Usama Beshay · Gerhard Miksch · Karl Friehs · Erwin Flaschel

Published online: 6 November 2008  
© Springer-Verlag 2008

**Erratum to: Bioprocess Biosyst Eng**  
DOI 10.1007/s00449-008-0227-3

The original version of this article unfortunately contained a mistake.

Figures 6 and 7 were identical.  
The correct version of Fig. 6 is given below.



The online version of the original article can be found under doi:  
[10.1007/s00449-008-0227-3](https://doi.org/10.1007/s00449-008-0227-3).

U. Beshay (✉)  
Bioprocess Development Department,  
Mubarak City for Scientific Research and Technology  
Applications, Genetic Engineering and Biotechnology Research  
Institute (GEBRI), New Borg El-Arab, Alexandria 21934, Egypt  
e-mail: ube@fermtech.techfak.uni-bielefeld.de

G. Miksch · K. Friehs · E. Flaschel  
Technische Fakultät, Universität Bielefeld,  
AG Fermentationstechnik, 33594 Bielefeld, Germany

**Fig. 6** Integrated process for the production of  $\beta$ -glucanase in the presence of uncharged (a) and  $Zn^{+2}$ -charged (b) freely suspended PDC metal-affinity resin presented in an internal basket (Fig. 2b) in the fermenter. (*E. coli* BL21(DE3) pET20-bgl-his-sec; TBG medium; medium volume 500 ml, resin volume 30 ml)