


ERRATUM

Erratum to: EUS-guided gastroenterostomy is comparable to enteral stenting with fewer re-interventions in malignant gastric outlet obstruction

Yen-I Chen¹  · Takao Itoi² · Todd H. Baron³ · Jose Nieto⁴ · Yamile Haito-Chavez¹ · Ian S. Grimm³ · Amr Ismail¹ · Saowanee Ngamruengphong¹ · Majidah Bukhari¹ · Gulara Hajiyeva¹ · Ahmad S. Alawad¹ · Vivek Kumbhari¹ · Mouen A. Khashab¹

Published online: 17 July 2017
© Springer Science+Business Media, LLC 2017

Erratum to: Surg Endosc (2017) 31(7): 2946–2952
DOI 10.1007/s00464-016-5311-1

The correct Family Name of the eighth author is “Ngamruengphong”.

The online version of the original article can be found under doi:[10.1007/s00464-016-5311-1](https://doi.org/10.1007/s00464-016-5311-1).

✉ Takao Itoi
itoi@tokyo-med.ac.jp

- ¹ Division of Gastroenterology and Hepatology, Johns Hopkins Medical Institutions, Baltimore, MD, USA
- ² Division of Gastroenterology and Hepatology, Tokyo Medical University, Shinjuku-ku, Tokyo, Japan
- ³ Division of Gastroenterology and Hepatology, University of North Carolina, Chapel Hill, NC, USA
- ⁴ Borland-Groover Clinic, Jacksonville, FL, USA