



Correction to: Pathological impact of transanal colorectal tube for obstructive colorectal cancer

Yusuke Okuda^{1,2} · Takaya Shimura¹  · Hiroyuki Kato³ · Tomonori Yamada⁴ · Yoshikazu Hirata² · Makoto Natsume¹ · Hiroyasu Iwasaki¹ · Ryuzo Yamaguchi⁵ · Eiji Sakamoto⁶ · Satoru Takahashi³ · Hiromi Kataoka¹

Published online: 28 October 2019
© Springer Science+Business Media, LLC, part of Springer Nature 2019

Correction to: Surgical Endoscopy
<https://doi.org/10.1007/s00464-019-07188-w>

In Methods of Abstract, the word “2015” should be changed to “2011”.

Publisher’s Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s00464-019-07188-w>.

✉ Takaya Shimura
tshimura@med.nagoya-cu.ac.jp

- ¹ Department of Gastroenterology and Metabolism, Nagoya City University Graduate School of Medical Sciences, 1-Kawasumi, Mizuho-cho, Mizuho-ku, Nagoya 467-8601, Japan
- ² Department of Gastroenterology, Kasugai Municipal Hospital, 1-1-1 Takaghi-cho, Kasugai 486-8510, Japan
- ³ Department of Experimental Pathology and Tumor Biology, Nagoya City University Graduate School of Medical Sciences, 1-Kawasumi, Mizuho-cho, Mizuho-ku, Nagoya 467-8601, Japan
- ⁴ Department of Gastroenterology, Japanese Red Cross Nagoya Daini Hospital, 2-9 Myoken-cho, Showa-ku, Nagoya 466-8650, Japan
- ⁵ Department of Surgery, Kasugai Municipal Hospital, 1-1-1 Takaghi-cho, Kasugai 486-8510, Japan
- ⁶ Department of Surgery, Japanese Red Cross Nagoya Daini Hospital, 2-9 Myoken-cho, Showa-ku, Nagoya 466-8650, Japan