



Correction to: One-anastomosis gastric bypass (OAGB) with fixed bypass of the proximal two meters versus tailored bypass of the proximal one-third of small bowel: short-term outcomes

Emad Abdallah¹ · Sameh Hany Emile¹ · Mahmoud Zakaria² · Mohamed Fikry¹ · Mohamed Elghandour¹ · Ahmed AbdelMawla¹ · Omar Rady³ · Mahmoud Abdelnaby¹

Published online: 28 July 2021

© The Author(s), under exclusive licence to Springer Science+Business Media, LLC part of Springer Nature 2021

Correction to: Surgical Endoscopy

<https://doi.org/10.1007/s00464-020-08284-y>

This article was updated to correct errors in the "Study design and setting" section.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Emad Abdallah and Sameh Hany Emile have contributed equally to the study and both are considered co-first authors of the manuscript.

The original article can be found online at <https://doi.org/10.1007/s00464-020-08284-y>.

✉ Sameh Hany Emile
Sameh200@hotmail.com

Emad Abdallah
emadicbs@gmail.com

Mahmoud Zakaria
drmahmoud1234567@gmail.com

Mohamed Fikry
drmfikry@hotmail.com

Mohamed Elghandour
drmg2008@gmail.com

Ahmed AbdelMawla
drahmedabdelmawla71@gmail.com

Omar Rady
gomarrady@gmail.com

Mahmoud Abdelnaby
abdelshafymahmoud@ymail.com

¹ General Surgery Department, Mansoura University Hospitals, Mansoura University, Elgomhuoria Street, Mansoura, Egypt

² General Surgery Department, Ain Shams University Hospitals, Ain Shams University, Cairo, Egypt

³ General Surgery Department, Mansoura General Hospital, Mansoura, Egypt