



Correction to: Nonradiation-to-endoscopist ERCP is non-inferior to standard ERCP

Wei Zeng¹ · Jie Hu² · Yanglin Pan³ · Mingqing Zhang⁴ · Li Xu¹ 

Published online: 16 November 2021
© The Author(s) 2021

Correction to: Surgical Endoscopy
<https://doi.org/10.1007/s00464-021-08822-2>

This article was updated to correct the units for “radiation exposure time” in Table 3.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Wei Zeng and Jie Hu have contributed equally to this work.

The original article can be found online at <https://doi.org/10.1007/s00464-021-08822-2>.

✉ Mingqing Zhang
zmqing8084@sina.com

✉ Li Xu
lxuhelen@163.com

¹ Department of Gastroenterology, Xiang'an Hospital of Xiamen University, 2000 Xiang'an West Road, Xiamen, Fujian, People's Republic of China

² Department of Medical Engineering, The 305 Hospital of PLA, Beijing, China

³ State Key Laboratory of Cancer Biology and National Clinical Research Center for Digestive Diseases, Xijing Hospital of Digestive Diseases, Air Force Medical University, Xi'an 710032, China

⁴ Department of Gastroenterology, 175 Hospital of PLA, Affiliated Southeast Hospital of Xiamen University, Zhangzhou 363000, Fujian Province, China