



## Correction to: Ergonomic analysis of laparoscopic and robotic surgical task performance at various experience levels


Jorge G. Zárate Rodríguez<sup>1</sup> · Ahmed M. Zihni<sup>2</sup> · Ikechukwu Ohu<sup>3</sup> · Jaime A. Cavallo<sup>4</sup> · Shuddhadeb Ray<sup>1</sup> · Sohyung Cho<sup>5</sup> · Michael M. Awad<sup>1</sup>

Published online: 22 November 2021  
© Springer Science+Business Media, LLC, part of Springer Nature 2021

**Correction to: Surgical Endoscopy (2019) 33:1938–1943**  
<https://doi.org/10.1007/s00464-018-6478-4>

In the original article, the middle bar graph in Fig. 2 (TL surgeons) was erroneously duplicated in the bottom (RAL surgeons).

Below is the corrected version of Fig. 2.



**Fig. 2** Mean National Aeronautics and Space Administration Task Load Index (NTLX) scores for novices, traditional laparoscopic (TL) surgeons, and robot-assisted laparoscopic (RAL) surgeons during traditional laparoscopic surgery (TLS), and robot-assisted laparoscopic surgery (RALS). \* $p < 0.05$

The original article can be found online at <https://doi.org/10.1007/s00464-018-6478-4>.

✉ Jorge G. Zárate Rodríguez  
j.zarate@wustl.edu

- 1 Washington University in Saint Louis, St. Louis, MO, USA
- 2 Providence Portland Medical Center, Portland, OR, USA
- 3 Gannon University, Erie, PA, USA
- 4 Icahn School of Medicine at Mount Sinai, New York, NY, USA
- 5 Southern Illinois University, Edwardsville, IL, USA

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.