



Correction: Feasibility of quantitative analysis of colonic perfusion using indocyanine green to prevent anastomotic leak in colorectal surgery

Juan-Carlos Gomez-Rosado¹ · Javier Valdes-Hernandez¹ · Juan Cintas-Catena¹ · Auxiliadora Cano-Matias¹ · Asuncion Perez-Sanchez¹ · Francisco-Javier del Rio-Lafuente¹ · Cristina Torres-Arcos¹ · Yaiza Lara-Fernandez² · Luis-Cristobal Capitan-Morales¹ · Fernando Oliva-Mompean¹

Published online: 9 February 2022

© The Author(s), under exclusive licence to Springer Science+Business Media, LLC, part of Springer Nature 2022

Correction to: Surgical Endoscopy (2021) 36:1688–1695
<https://doi.org/10.1007/s00464-021-08918-9>

This article was updated to correct the sentence in the Discussion section which now reads “As observed in our experience, in 16(23.2%) patients...” (rather than “As observed in our experience, in 8(11.5%) patients...”).

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s00464-021-08918-9>.

✉ Juan-Carlos Gomez-Rosado
dr.gomez.rosado@gmail.com

¹ Colorectal Surgery Unit, General and Digestive Surgery, University Hospital Virgen Macarena, Dr Fedriani s/n, 41009 Seville, Spain

² General and Digestive Surgery, University Hospital Virgen Macarena, Seville, Spain