

## Erratum to: Changes in dural sac caliber with standing MRI improve correlation with symptoms of lumbar spinal stenosis

Yvonne Yan On Lau<sup>1,3</sup> · Ryan Ka Lok Lee<sup>2</sup> · James Francis Griffith<sup>2</sup> · Carol Lai Yee Chan<sup>1</sup> · Sheung Wai Law<sup>1</sup> · Kin On Kwok<sup>1</sup>

Published online: 3 August 2017  
© Springer-Verlag GmbH Germany 2017

### Erratum to: Eur Spine J DOI 10.1007/s00586-017-5211-7

Unfortunately, the Fig. 3 published in the original article was incorrect. The corrected figure (Fig. 3) is given as below.

The original article was corrected.

---

The online version of the original article can be found under doi:[10.1007/s00586-017-5211-7](https://doi.org/10.1007/s00586-017-5211-7).

---

✉ Yvonne Yan On Lau  
yonnlau@yahoo.com.hk; lyo590@ha.org.hk;  
yvonnelau@cuhk.edu.hk

- <sup>1</sup> Department of Orthopaedics and Traumatology, Prince of Wales Hospital, The Chinese University of Hong Kong, Shatin, Hong Kong
- <sup>2</sup> Department of Imaging and Interventional Radiology, Prince of Wales Hospital, The Chinese University of Hong Kong, Shatin, Hong Kong
- <sup>3</sup> Department of Orthopaedics and Traumatology, Tseung Kwan O Hospital, Hang Hau, Hong Kong

