LETTER TO THE EDITOR



Letter to the Editor concerning "Local vancomycin therapy to reduce surgical site infection in adult spine surgery: a randomized prospective study" by Salimi S, et al. (Eur Spine J [2022];31:454–460)

Mohak Kataria · Vishal Kumar Do · Sarvdeep Singh Dhatt Dhatt

Received: 10 September 2022 / Revised: 10 September 2022 / Accepted: 28 December 2022 / Published online: 31 December 2022 © The Author(s), under exclusive licence to Springer-Verlag GmbH Germany, part of Springer Nature 2022

Dear Editor,

We have read the article by Sohrab Salimi et al. [1] entitled "Local vancomycin therapy to reduce surgical site infection in adult spine surgery: a randomized prospective study" with great interest and congratulate the authors for this thought-provoking topic; however, there are a few queries that need to be addressed:

- 1. It is nowhere mentioned about the surgeons who performed these surgeries. This becomes important as it is a well-known fact that the incidence of surgical site infection differs from surgeon to surgeon [2].
- 2. Did any of the cases with surgical site infection have dural tears intraoperatively? Multiple previous studies have shown dural tear cases to have higher incidence of infection [3, 4].
- 3. When was the negative suction drain opened postoperatively?
- 4. How many levels were instrumented in the patients who had surgical site infection? [5]
- 5. How could traumatic spine patients take a bath before the day of surgery?

Declarations

Conflict of interest No potential conflict of interest relevant to this article was reported.

References

- Salimi S, Khayat Kashani HR, Azhari S, Sadeghi S, Sheikhghomy S, Paryan P et al (2022) Local vancomycin therapy to reduce surgical site infection in adult spine surgery: a randomized prospective study. Eur Spine J 31(2):454–460
- Ogihara S, Yamazaki T, Shiibashi M, Chikuda H, Maruyama T, Miyoshi K, Inanami H, Oshima Y, Azuma S, Kawamura N, Yamakawa K (2021) Risk factors for deep surgical site infection after posterior cervical spine surgery in adults: a multicentre observational cohort study. Sci Rep 11(1):1–9
- Takenaka S, Makino T, Sakai Y, Kashii M, Iwasaki M, Yoshikawa H et al (2019) Dural tear is associated with an increased rate of other perioperative complications in primary lumbar spine surgery for degenerative diseases. Medicine 98(1):e13970
- Aspalter S, Senker W, Radl C, Aichholzer M, Aufschnaiter-Hießböck K, Leitner C et al (2021) Accidental dural tears in minimally invasive spinal surgery for degenerative lumbar spine disease. Front Surg. https://doi.org/10.3389/fsurg.2021.708243
- Yao R, Zhou H, Choma TJ, Kwon BK, Street J (2018) Surgical site infection in spine surgery: who is at risk? Global Spine J 8(4_suppl):5S-30S

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Post Graduate Institute of Medical Education and Research, Sector 12, Chandigarh 160012, India