



## Correction to: Continuous suction irrigation: prospective bacteriological study

J. Cabo<sup>1,4</sup> · Jaime Jose Morales de Cano<sup>1</sup> · A. Fernandez Sabate<sup>1</sup> · J. Romero<sup>1</sup> · J. Casanas<sup>1</sup> · J. Verdaguer<sup>2</sup> · J. Ariza<sup>3</sup>

© Springer-Verlag France SAS, part of Springer Nature 2021, corrected publication 2023

**Correction to: Eur J Orthop Surg Traumatol (1995) 5: 75–78**  
<https://doi.org/10.1007/BF02716223>

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original version of this article unfortunately contained a mistake. The family name of author “Jaime Jose Morales de Cano” was incorrect.

The correct given name and family name should be:

Given name: Jaime Jose.

Family name: Morales de Cano.

---

The original article can be found online at <https://doi.org/10.1007/BF02716223>.

---

✉ J. Cabo  
xcabo@bellvitgehospital.cat

<sup>1</sup> Orthopaedic Department, Hospital Bellvitge, Barcelona, Spain

<sup>2</sup> Microbiological Department, Hospital Bellvitge, Barcelona, Spain

<sup>3</sup> Infectious Diseases Department, Hospital Bellvitge, Barcelona, Spain

<sup>4</sup> Gran Via Corts Catalanes, 699, 401a, 08013 Barcelona, Spain