



## Correction to: Use of flash glucose-sensing technology (FreeStyle Libre) in youth with type 1 diabetes: AWeSoMe study group real-life observational experience

Zohar Landau<sup>1,2</sup>  · Shirli Abiri<sup>1,2</sup> · Noah Gruber<sup>2,3</sup> · Yael Levy-Shraga<sup>2,3</sup> · Avivit Brenner<sup>2,4</sup> · Yael Lebenthal<sup>2,4</sup> · Galia Barash<sup>2,5</sup> · Orit Pinhas-Hamiel<sup>2,3</sup> · Mariana Rachmiel<sup>2,5</sup>

Published online: 12 September 2018  
© Springer-Verlag Italia S.r.l., part of Springer Nature 2018

**Correction to: Acta Diabetologica**  
<https://doi.org/10.1007/s00592-018-1218-8>

Unfortunately, the co-author name was misspelled as “Avivit Brenner” instead of “Avivit Brenner” in the original publication and the correct author name is updated here. The original article has been corrected.

---

The original article can be found online at <https://doi.org/10.1007/s00592-018-1218-8>.

---

✉ Zohar Landau  
landau.zohar@gmail.com

- <sup>1</sup> Pediatric Endocrine and Diabetes Unit, E. Wolfson Medical Center, Holon, Israel
- <sup>2</sup> Sackler Faculty of Medicine, Tel Aviv University, Tel Aviv, Israel
- <sup>3</sup> Pediatric Endocrine and Diabetes Unit, Edmond and Lily Safra Children’s Hospital, Sheba Medical Center, Ramat Gan, Israel
- <sup>4</sup> Pediatric Endocrinology and Diabetes Unit, Dana-Dwek Children’s Hospital, Tel Aviv Sourasky Medical Center, Tel Aviv, Israel
- <sup>5</sup> Pediatric and Adolescent Diabetes Mellitus Service, Assaf Harofeh Medical Center, Zerifin, Israel