



Correction to: Thoracoscopic removal with fluoroscopic radiographic guidance of thoracoamniotic shunting catheters in newborns

Yuki Muta¹ · Akio Odaka¹ · Seiichiro Inoue¹ · Yuta Takeuchi¹ · Yoshifumi Beck¹

Published online: 20 July 2022
© The Author(s) under exclusive licence to Springer Nature Singapore Pte Ltd 2022

Correction to: Surgery Today
<https://doi.org/10.1007/s00595-022-02535-2>

In the original publication, the copyright of this paper was incorrectly published as:

This is a U.S. Government work and not under copyright protection in the US; foreign copyright protection may apply 2022.

The correct copyright for this paper is:

The Author(s) under exclusive licence to Springer Nature Singapore Pte Ltd. 2022.

The original publication has been corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s00595-022-02535-2>.

✉ Yuki Muta
ymuta@saitama-med.ac.jp

¹ Department of Hepato-Biliary-Pancreatic and Pediatric Surgery, Saitama Medical Center, Saitama Medical University, Kamoda 1981, Kawagoe, Saitama 350-8550, Japan