Erratum to: Comparison of stand-alone polyetheretherketone cages and iliac crest autografts for the treatment of cervical degenerative disc diseases

Jian Zhou · Qing Xia · Jian Dong · Xilei Li ·
Xiaogang Zhou · Taolin Fang · Hong Lin

Published online: 18 November 2010
© Springer-Verlag 2010

Erratum to: Acta Neurochir
DOI 10.1007/s00701-010-0821-4

Owing to an oversight by the authors, incorrect JOA recovery rates were reported in the Results section (fourth page of article, right column, last paragraph) and in Table 2. The first two sentences of the paragraph should have read “In the stand-alone cage group, the mean preoperative JOA score was 8.6 ± 1.4 , the postoperative JOA score was 15.1 ± 1.7 , and the JOA recovery rate was $73.4\% \pm 5.4\%$. In the autologous iliac crest graft group, the mean preoperative and postoperative JOA score and the JOA recovery rate were 8.9 ± 1.6 , 14.8 ± 1.4 and $72.1\% \pm 6.1\%$, respectively.” (corrections italicized), and the figures for “JOA score recovery rate (%)” in Table 2 should have been 73.4 for the stand-alone PEEK cage group and 72.1 for the iliac crest autograft group.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s00701-010-0821-4>.

J. Zhou · Q. Xia · J. Dong (✉) · X. Li · X. Zhou · T. Fang · H. Lin
Department of Orthopaedic Surgery, Zhongshan Hospital,
Fudan University,
180 Fenglin Road,
Shanghai 200032, China
e-mail: dong.jian@zs-hospital.sh.cn