



CORRECTION

Zibo Wei · Peijun Wei  · Chunyu Xu · Xiao Guo

Correction: Equivalent imperfect interface model of PN junction of piezoelectric semiconductor for the multi-field coupled waves propagation

Published online: 8 November 2023
© Springer-Verlag GmbH Austria, part of Springer Nature 2023

Correction to: Acta Mech

<https://doi.org/10.1007/s00707-023-03643-x>

In the Original Publication, a part of Figs. 4 and 6 are found missing due to technical error. The complete figures are provided as follows:

The original article can be found online at <https://doi.org/10.1007/s00707-023-03643-x>.

Z. Wei · P. Wei (✉) · C. Xu
Department of Applied Mechanics, University of Science and Technology Beijing, Beijing 100083, China
e-mail: weipj@ustb.edu.cn

X. Guo
School of Mathematics and Physics, University of Science and Technology Beijing, Beijing 100083, China




Fig. 4 The energy flux ratios of the reflection and transmission waves in the case of PN homojunction. **a** RQP; **b** RQSV; **c** REA; **d** RCP; **e** RCN; **f** TQP; **g** TQSV; **h** TEA; **i** TCP; **j** TCN




Fig. 4 continued




Fig. 6 The energy flux ratio of the reflection and the transmission waves with respect to incident wave for PN heterojunction. **a** RQP; **b** RQSV; **c** REA; **d** RCP; **e** RCN; **f** TQP; **g** TQSV; **h** TEA; **i** TCP; **j** TCN




Fig. 6 continued

The original article has been updated.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.