**RETRACTION NOTE** 



## Retraction Note to: Effect of alendronate on bone mineral density and bone turnovermarkers in post-gastrectomy osteoporotic patients

Jun Iwamoto<sup>1</sup> · Mitsuyoshi Uzawa<sup>2</sup> · Yoshihiro Sato<sup>3</sup> · Tsuyoshi Takeda<sup>1</sup> · Hideo Matsumoto<sup>1</sup>

Published online: 6 February 2021 © The Japanese Society Bone and Mineral Research 2021

## Retraction to: J Bone Miner Metab (2010) 28:202–208 https://doi.org/10.1007/s00774-009-0116-0

The Editors-in-Chief have retracted this article [1] because approval from the Keiyu Orthopedic Hospital ethics committee was not obtained before the study commenced.

Jun Iwamoto and Hideo Matsumoto have not responded to correspondence from the Editors-in-Chief or the Publisher about this retraction. The Editors-in-Chief have not been able to obtain current email addresses for Tsuyoshi Takeda and Mitsuyoshi Uzawa. Yoshihiro Sato is deceased.

## Reference

 Iwamoto J, Uzawa M, Sato Y, Takeda T, Matsumoto H (2010) Effect of alendronate on bone mineral density and bone turnover markers in post-gastrectomy osteoporotic patients. J Bone Miner Metab 28:202–208

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at https://doi.org/10.1007/ s00774-009-0116-0.

Jun Iwamoto jiwamoto@sc.itc.keio.ac.jp

- <sup>1</sup> Institute for Integrated Sports Medicine, Keio University School of Medicine, 35 Shinanomachi, Shinjuku-ku, Tokyo 160-8582, Japan
- <sup>2</sup> Department of Orthopaedic Surgery, Keiyu Orthopaedic Hospital, Gunma, Japan
- <sup>3</sup> Department of Neurology, Mitate Hospital, Fukuoka, Japan