Correction to: Circulating microRNA-92a-3p in colorectal cancer: a review

Nami O. Yamada¹ · Takao Senda¹

Published online: 11 March 2021

© The Japanese Society for Clinical Molecular Morphology 2021

Correction to: Medical Molecular Morphology
<https://doi.org/10.1007/s00795-021-00282-w>

In the original publication of the article, the Table 1 was incorrectly published. The correct Table 1 is given in this correction.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s00795-021-00282-w>.

✉ Nami O. Yamada
nyamada@gifu-u.ac.jp

¹ Department of Anatomy, Graduate School of Medicine, Gifu University, 1-1 Yanagido, Gifu 501-1194, Japan

Table 1 Studies on circulating miR-92a-3p in colorectal tumors

Patients	Healthy controls	Sample source	Circulating miR-92a-3p levels in patients	<i>p</i> value	References
CRC (<i>n</i> = 90)	<i>n</i> = 50	Plasma	Elevated	< 0.001	Ng et al. [43]
CRC (<i>n</i> = 215)	<i>n</i> = 183	Plasma	Elevated	< 0.001	Chang et al. [44]
CRC (<i>n</i> = 100)	<i>n</i> = 59	Plasma	Elevated	< 0.0001	Huang et al. [45]
Advanced adenoma (<i>n</i> = 37)				< 0.0001	
CRC (<i>n</i> = 90)	<i>n</i> = 58	Plasma	Elevated	0.0005	Wang et al. [46]
Adenoma (<i>n</i> = 43)				0.0003	
CRC (<i>n</i> = 160)	<i>n</i> = 94	Serum	Elevated	< 0.001	Zheng et al. [47]
Adenoma (<i>n</i> = 66)				< 0.001	
CRC (<i>n</i> = 90)	<i>n</i> = 6	Serum (exosomal)	Elevated	0.0077	Matsumura et al. [48]
CRC (<i>n</i> = 29)	<i>n</i> = 10	Serum (exosomal)	Elevated	< 0.05	Fu et al. [49]
Adenoma (<i>n</i> = 26)	<i>n</i> = 47	Serum	Elevated	< 0.001	Uratani et al. [50]
Adenoma (<i>n</i> = 33)	<i>n</i> = 34	Serum	Elevated	0.033	Zhang et al. [51]

Summary of the changes reported to date