



# Correction to: Enhancing mesh explantation reporting: a novel classification system for improved surgical decision-making and patient outcomes

J. A. Gandhi<sup>1</sup> · S. J. Baig<sup>2</sup> · A. P. Gajjar<sup>3</sup> · A. M. Banker<sup>4</sup>

Published online: 30 September 2023  
© Springer-Verlag France SAS, part of Springer Nature 2023

**Correction to: Hernia**  
<https://doi.org/10.1007/s10029-023-02877-x>

The original article has been corrected.

After publication of the article, we found that text of the Table 1 for the entries  $E_0$  and  $E_1$  was incorrect. The correct Table 1 is copied below

---

The original article can be found online at <https://doi.org/10.1007/s10029-023-02877-x>.

---

✉ A. P. Gajjar  
aarshpgajjar@gmail.com  
J. A. Gandhi  
jigneshkem@gmail.com  
S. J. Baig  
docsarfarazbaig2@gmail.com  
A. M. Banker  
amaybanker@gmail.com

- <sup>1</sup> Seth GS Medical College and KEM Hospital, Mumbai, India
- <sup>2</sup> Belle Vue Clinic, Kolkata, India
- <sup>3</sup> Seth G S Medical College and KEM Hospital, Mumbai, India
- <sup>4</sup> Fellow in Liver Transplant, Jackson Memorial Hospital, Miami, USA

**Table 1** Nomenclature for mesh excision

---

E <sub>0</sub>	Complete mesh explantation
E <sub>1</sub>	Partial mesh explantation
E <sub>2</sub>	Drainage of collection with mesh in-situ
Complete classification system	
T <sub>1</sub>	Previous onlay mesh
T <sub>2</sub>	Previous sublay mesh
T <sub>3</sub>	Previous intra-peritoneal mesh
T <sub>4</sub>	Previous inlay mesh
N <sub>0</sub>	No use of tackers
N <sub>1</sub>	Use of tackers for mesh fixation
M <sub>0</sub>	No evidence of enterocutaneous fistula
M <sub>1</sub>	Enterocutaneous fistula

---

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.