Correction to: Short-term clinical and radiographic outcomes of total hip arthroplasty with PMPC-grafted highly cross-linked polyethylene liners against 32-mm femoral heads

Kanto Mouri¹ · Tatsuro Karita¹

Published online: 13 March 2021
© The Author(s) 2021

Journal of Artificial Organs <https://doi.org/10.1007/s10047-020-01246-0>

Unfortunately, the original publication of the article has been published with an error in author's affiliation and abstract section. The correct abstract and affiliation are given in this correction.

In the abstract section, the sentence that reads as “The steady-state wear rate of the PMPC (26 or 28 mm) group (0.021 mm/year) was lower than that of the control (26 or 28 mm) group (−0.015 mm/year); the steady-state wear was under the clinical threshold” should read as “The steady-state wear rate of the PMPC (26 or 28 mm) group (−0.015 mm/year) was lower than that of the control (26 or 28 mm) group (0.021 mm/year); the steady-state wear was under the clinical threshold”.

The article Short-term clinical and radiographic outcomes of total hip arthroplasty with PMPC-grafted highly cross-linked polyethylene liners against 32-mm femoral heads, written by Kanto Mouri and Tatsuro Karita, was originally published electronically on the publisher's internet portal on 15 January 2021 without open access. With the author(s)' decision to opt for Open Choice the copyright of the article changed on 5 February 2021 to © The Author(s) 2021 and the article is forthwith distributed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any

medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original articles can be found online at <https://doi.org/10.1007/s10047-020-01246-0> and <https://doi.org/10.1007/s10047-021-01255-7>.

✉ Tatsuro Karita
karita-ty@umin.ac.jp

¹ Orthopedics Department, Tokyo Metropolitan Tama Medical Center, 2-8-29 Musashidai, Fuchu-shi, Tokyo 183-8524, Japan