CORRECTION

Correction to: Ultrasound resistive index, power Doppler, and clinical parameters in established rheumatoid arthritis

Melissa Cláudia Bisi^{1,2} · Aline Defaveri do Prado^{1,3} · Deise Marcela Piovesan¹ · Markus Bredemeier³ · Inês Guimarães da Silveira¹ · José Alexandre Mendonça⁴ · Henrique Luiz Staub¹

Published online: 2 November 2017

© International League of Associations for Rheumatology (ILAR) 2017

Correction to: Clin Rheumatol (2017) 36:947–951

<https://doi.org/10.1007/s10067-016-3507-3>

The original version of this article, unfortunately, contained an error.

One of the author's name on this article was incorrectly spelled as “José Alexandre de Mendonça”. The correct spelling is “José Alexandre Mendonça” and is now presented correctly in this article.

The online version of the original article can be found at <https://doi.org/10.1007/s10067-016-3507-3>

✉ Melissa Cláudia Bisi
melissabisi@gmail.com

¹ Rheumatology Department, Universidade Pontifícia Católica do Rio Grande do Sul (PUCRS), Porto Alegre, RS, Brazil

² Rheumatology Department, São Lucas Hospital da PUCRS, Av. Ipiranga 6690, sala 220, Porto Alegre, RS 90480-002, Brazil

³ Rheumatology Service, Hospital Nossa Senhora da Conceição, Grupo Hospitalar Conceição (GHC), Porto Alegre, RS, Brazil

⁴ Rheumatology Department, Universidade Pontifícia Católica de Campinas (PUCCAMP), Campinas, SP, Brazil