Correction to: Plasma microRNA levels in childhood IgA vasculitis

Alper Han Cebi¹ · Ferhat Demir² · Mevlit Ikbali¹ · Mukaddes Kalyoncu²

Published online: 26 November 2020

© International League of Associations for Rheumatology (ILAR) 2020

Correction to: Clinical Rheumatology

<https://doi.org/10.1007/s10067-020-05441-5>

The authors of the original version of the above article requested the corrections in the first paragraph of “miRNA analysis” under the Results section and in Fig. 2 legend to be noted. [Bold text used to highlight problem area]

Results

miRNA analysis

Relative fold change, confidence interval, and p values between aIgAV, rIgAV, and HC groups for miRNAs are all shown at Table 2. **Changes of plasma miRNA expression in the aIgAV, rIgAV, and HC groups are also shown in Fig. 2a–c.**

The remainder of the article remains unchanged.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1007/s10067-020-05441-5>

✉ Alper Han Cebi
dralphancebi@yahoo.com

¹ Medical Faculty, Department of Medical Genetics, Karadeniz Technical University, Trabzon, Turkey

² Medical Faculty, Department of Pediatric Rheumatology, Karadeniz Technical University, Trabzon, Turkey