

Erratum to: Ablation of carious dental tissue using an ultrashort pulsed laser (USPL) system

Christoph Engelbach¹ · Claudia Dehn¹ · Oliver Brede¹ · Andreas Braun^{1,4} · Florian Schelle¹ · Christoph Bourauel² · Jörg Meister^{1,3} · Matthias Frentzen¹

Published online: 28 September 2016
© Springer-Verlag London 2016

Erratum to: Lasers Med Sci (2015) 30:1427–1434
DOI 10.1007/s10103-014-1594-4

The published online version contains mistake in the author group section. Dr. Brede, Dr. Braun, and Dr. Schelle have contributed to the study. After the investigation conducted, it is found that the authors deserved to be recognized and earned them the right to authorship. Hence, the corresponding author, Dr. Frentzen decided to include the authors to give credit to their contribution.

The corrected author group section is shown above and in the affiliation section below.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s10103-014-1594-4>.

✉ Matthias Frentzen
frentzen@uni-bonn.de

¹ Department of Operative and Preventive Dentistry, Bonn University, Dental Faculty, Welschnonnenstrasse 17, 53111 Bonn, Germany

² Oral Technology, Bonn University, Dental Faculty, Bonn, Germany

³ Department of Conservative Dentistry, Periodontology and Preventive Dentistry, Medical Faculty, RWTH Aachen University, Aachen, Germany

⁴ Present address: Department of Operative Dentistry and Endodontology, Philipps-University of Marburg, Marburg, Germany