



Correction to: Comparative study using fractional carbon dioxide laser versus glycolic acid peel in treatment of pseudo-acanthosis nigricans

N. S. Zaki¹ · R. F. Hilal¹ · R. M. Essam²

Published online: 28 July 2018
© Springer-Verlag London Ltd., part of Springer Nature 2018

Correction to: Lasers in Medical Science (2018)
<https://doi.org/10.1007/s10103-018-2505-x>

The author found small mistakes in scientific content of article. Editor-in-Chief confirmed that mistakes do not change or invalidate conclusions of article.

Corrected Version:

Results section, clinical improvement subsection

“There was no statistical difference between both sides ($P = 0.008$).”

Should be changed to

“There was statistical difference between both sides ($P = 0.008$).”

Discussion section

Paragraph 6 starting with

“By comparing clinical improvement between both sides which was 43% on the glycolic acid side and 18% on the fractional CO₂ side, there was no statistical significance.”

Should be changed to

“By comparing clinical improvement between both sides which was 43% on the glycolic acid side and 18% on the fractional CO₂ side, there was statistical significance.”

The online version of the original article can be found at <https://doi.org/10.1007/s10103-018-2505-x>

✉ R. F. Hilal
rana.hilal@kasralainy.edu.eg

¹ Department of Dermatology, Kasr Al Ainy Teaching Hospital, Cairo University, Al-Saray Street, El Manial, Cairo 11956, Egypt

² Student Hospital, Cairo, Egypt