



Publisher Correction to: Lyapunov stability of the subgradient method with constant step size

Cédric Josz¹ · Lexiao Lai¹

Published online: 23 March 2023


© Springer-Verlag GmbH Germany, part of Springer Nature and Mathematical Optimization Society 2023

Publisher Correction to: Mathematical Programming

<https://doi.org/10.1007/s10107-023-01936-6>


During the proof correction stage, the production team removed the sub captions by mistake in Fig. 2a and 2b. The correct figures are given below.

$$f(x_1, x_2) = \max\{-18x_1^2 + 12|x_2|, 6x_1^2 + 3|x_2|\}$$



(a) Stable local minimum.

$$f(x_1, x_2) = |x_1x_2|^{3/2}$$



(b) Unstable local minimum.

Fig. 2 Continuous and discrete subgradient trajectories in magenta and yellow respectively

The original article can be found online at <https://doi.org/10.1007/s10107-023-01936-6>.

✉ Cédric Josz
cj2638@columbia.edu

Lexiao Lai
ll3352@columbia.edu

¹ Department of Industrial Engineering and Operations Research, Columbia University, S. W. Mudd Building, 500 W 120Th St, New York, NY 10027-6623, USA

Now, The original article has been corrected, and the publishers apologise for this error.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.