Correction to: Cost-effectiveness of mass screening for dipstick hematuria in Japan

Reiko Okubo^{1,2,3} · Shu-Ling Hoshi¹ · Tomokazu Kimura⁴ · Masahide Kondo¹ · Koichi Asahi⁵ · Chiho Iseki⁶ · Shouichi Fujimoto⁷ · Ichiei Narita⁸ · Hiroyuki Nishiyama⁴ · Kunihiro Yamagata² · Kunitoshi Iseki⁶

Published online: 2 February 2022
© Japanese Society of Nephrology 2022

Correction to: Clinical and Experimental Nephrology
<https://doi.org/10.1007/s10157-021-02170-0>

In the original publication, few errors were found in Figure 2c, Table 1 and Table 3. The corrections are as follows:

- 1) In the Figure 2c
 - “3) Stage” should be “3)Stage I”
 - “4) “Stage I, Stage II, Stage III, Stage IV” is exactly “Stage II, Stage III, Stage IV”
 - Besides, “Stage I” should be separated from “Stage II, Stage III, Stage IV ”
- 2) In the Table 1
 1. We have added “*” to all 4 reference number 26 in Table 1.
(That is, the reference “[26]” has been changed to “[26*]”).
 2. The line between SOa and SI in Male of Distribution of BC by clinical stage detected by screening by sex and age has been deleted.

- 3) In the Table 3

The original article can be found online at <https://doi.org/10.1007/s10157-021-02170-0>.

✉ Masahide Kondo
mkondo@md.tsukuba.ac.jp

¹ Department of Health Care Policy and Health Economics, Faculty of Medicine, University of Tsukuba, 1-1-1 Tennoudai, Tsukuba, Ibaraki 305-8577, Japan

² Department of Nephrology, Faculty of Medicine, University of Tsukuba, Tsukuba, Ibaraki, Japan

³ Department of Clinical Laboratory Medicine, University of Tsukuba Hospital, Tsukuba, Ibaraki, Japan

⁴ Department of Urology, Faculty of Medicine, University of Tsukuba, Tsukuba, Ibaraki, Japan

The “Variables” and “Base-case value” has been separated in first line.

That is, “Variables” should appear in the first column, and “Base-case value” in second column which should appear as below.

Variables	Base-case value	Range tested in sensitivity analysis (%)	Reference
-----------	-----------------	--	-----------

The original article has been corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

⁵ Division of Nephrology and Hypertension, Department of Internal Medicine, Iwate Medical University School of Medicine, Yahaba, Japan

⁶ Okinawa Heart and Renal Association (OHRA), Naha, Okinawa, Japan

⁷ Department of Hemovascular Medicine and Artificial Organs, Faculty of Medicine, University of Miyazaki, Miyazaki, Japan

⁸ Division of Clinical Nephrology and Rheumatology, Niigata University Graduate School of Medical and Dental Science, Niigata, Niigata, Japan

(a)

M_0 : Markov 0 model (neither IgAN nor bladder cancer)

(b)

M_I : Markov IgAN model

(c)

M_{BC} : Markov bladder cancer model