Correction to: Invasive Italian wall lizards outcompete native congeneric species in finding food in a Y-maze

Anastasios Limnios¹ · Chloe Adamopoulou¹ · Miguel A. Carretero^{2,3} · Panayiotis Pafilis¹

Published online: 3 November 2021

© ISPA, CRL 2021

Correction to: acta ethologica:

<https://doi.org/10.1007/s10211-021-00385-8>

In the original published version of this article, the Table 1 contained error. The first Subtitle of Table 1 should be read "Success" not "First Correct Decision Time—Time to Decision Point". The correct Table 1 is shown as follow:

The original article has been corrected.

The original article can be found online at <https://doi.org/10.1007/s10211-021-00385-8>.

✉ Anastasios Limnios
taslimnios@biol.uoa.gr

¹ Faculty of Biology, National and Kapodistrian University of Athens, Athens, Greece

² Centro de Investigação Em Biodiversidade E Recursos Genéticos, CIBIO, Universidade Do Porto, Vairão, InBIO, Portugal

³ Departamento de Biologia, Faculdade de Ciências da Universidade Do Porto, Porto, Portugal

Table 1 Model building of the factors involved in the behavioural variables displayed by the three *Podarcis* species in the Y maze. SVL: snout-vent length, Loc: locality, d.f.: degrees of freedom, AIC: Akaike's Information Criterion, $\Delta AICc$: delta score computed as $AICc_i - \min AICc$. Selected models are in **bold**

Success: binomial distribution; logit link function									
Model	variables			d.f	AIC	AICc	$\Delta AICc$	Likelihood Ratio Chi ²	p
1	SVL	species		2	15.32	15.76	0.00	8.08	0.0176
2	mass	species		2	15.82	16.26	0.50	7.57	0.0227
3	species			1	16.33	16.47	0.71	5.06	0.0244
4	SVL	mass	species	3	17.32	18.24	2.48	8.08	0.0443
5	SVL	mass		2	17.97	18.41	2.65	5.43	0.0662
6	SVL			1	18.53	18.67	2.91	2.87	0.0902
7	mass			1	20.22	20.36	4.60	1.18	0.2783
Total Time: binomial negative; logit link function									
Model	variables			d.f	AIC	AICc	$\Delta AICc$	Likelihood Ratio Chi ²	p
1	SVL	species		3	461.31	461.75	0.00	13.93	0.0030
2	mass	species		3	461.81	462.25	0.50	13.43	0.0038
3	SVL	mass	species	4	463.29	464.21	2.46	13.95	0.0075
4	SVL	mass		2	463.49	463.93	2.18	9.75	0.0076
5	SVL			1	464.34	464.48	2.73	6.91	0.0086
6	species			2	466.68	466.82	5.07	6.56	0.0376
7	mass			1	467.52	467.66	5.91	3.72	0.0537
Time to Decision Point: binomial negative; logit link function									
Model	variables			d.f	AIC	AICc	$\Delta AICc$	Likelihood Ratio Chi ²	p
1	species			2	367.73	367.87	0.00	10.60	0.0050
2	mass	species		3	369.62	370.06	2.19	10.71	0.0134
3	SVL	species		3	369.69	370.13	2.26	10.63	0.0139
4	SVL	mass	species	4	371.44	372.36	4.49	10.88	0.0279
5	mass			1	373.29	373.43	5.56	3.04	0.0812
6	SVL			1	373.38	373.52	5.65	2.95	0.0858
7	SVL	mass		2	375.22	375.66	7.79	3.11	0.2110
First Correct Decision Time: binomial negative; logit link function									
Model	variables			d.f	AIC	AICc	$\Delta AICc$	Likelihood Ratio Chi ²	p
1	mass			1	392.75	392.89	0.00	4.58	0.0324
2	SVL			1	393.53	393.67	0.78	3.79	0.0516
3	SVL	mass		2	394.73	395.17	2.28	4.59	0.1009
4	SVL	species		3	395.24	395.68	2.79	6.08	0.1078
5	mass	species		3	395.31	395.75	2.86	6.01	0.1110
6	species			2	395.45	395.59	2.70	3.88	0.1440
7	SVL	mass	species	4	397.22	398.14	5.25	6.11	0.1914
Total Time—Time to Decision Point: binomial negative; logit link function									
Model	variables			d.f	AIC	AICc	$\Delta AICc$	Likelihood Ratio Chi ²	p
1	SVL	species		3	452.62	453.06	0.00	15.12	0.0017
2	mass	species		3	453.27	453.71	0.65	14.47	0.0023
3	SVL	mass	species	4	454.60	455.52	2.46	15.13	0.0044
4	SVL	mass		2	456.21	456.65	3.59	9.53	0.0085
5	SVL			1	458.07	458.21	5.15	5.66	0.0173
6	species			2	460.43	460.57	7.51	5.30	0.0706
7	mass			1	461.01	461.15	8.09	2.73	0.0986

Table 1 (continued)

First Correct Decision Time—Time to Decision Point: binomial negative; logit link function									
Model	variables			d.f	AIC	AICc	Δ AICc	Likelihood Ratio Chi ²	p
1	mass			1	359.42	359.56	0.00	2.45	0.1174
2	SVL			1	360.26	360.40	0.84	1.61	0.2049
3	SVL	species		3	360.40	360.84	1.28	5.47	0.1407
4	mass	species		3	360.62	361.06	1.50	5.25	0.1544
5	SVL	mass		2	361.12	361.56	2.00	2.74	0.2534
6	species			2	361.80	361.94	2.38	2.07	0.3561
7	SVL	mass	species	4	362.40	363.32	3.76	5.47	0.2421
Total Time—First Correct Decision Time: binomial negative; logit link function									
Model	variables			d.f	AIC	AICc	Δ AICc	Likelihood Ratio Chi ²	p
1	SVL	species		3	448.58	449.02	0.00	18.58	0.0003
2	mass	species		3	449.05	449.49	0.47	18.11	0.0004
3	SVL	mass	species	4	450.55	451.47	2.45	18.62	0.0009
4	SVL	mass		2	453.78	454.22	5.20	11.38	0.0034
5	SVL			1	458.27	458.41	9.39	4.89	0.0270
6	species			2	458.34	458.48	9.46	6.82	0.0331
7	mass			1	461.22	461.36	12.34	1.94	0.1633

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.