Correction to: Use of the Er,Cr:YSGG laser for removing remnant adhesive from the enamel surface in rebonding of orthodontic brackets

Katsunori Koide¹ · Satoshi Tanaka² · Toshiya Endo^{1,3}

Published online: 5 March 2020

© The Society of The Nippon Dental University 2020

Correction to: Odontology

<https://doi.org/10.1007/s10266-019-00448-0>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

In the original publication of the article, Fig. 2 was published incorrectly. The correct version of Fig. 2 is provided below.

The original article can be found online at <https://doi.org/10.1007/s10266-019-00448-0>.

✉ Katsunori Koide
albert@ngt.ndu.ac.jp

¹ Orthodontics and Dentofacial Orthopedics, Field of Oral and Maxillofacial Growth and Development, Course of Clinical Science, The Nippon Dental University Graduate School of Life Dentistry at Niigata, 1-8 Hamaura-cho, Chuo-ku, Niigata 951-8580, Japan

² Department of Pediatric Dentistry, The Nippon Dental University School of Life Dentistry at Niigata, 1-8 Hamaura-cho, Chuo-ku, Niigata 951-8580, Japan

³ Department of Orthodontics, The Nippon Dental University School of Life Dentistry at Niigata, 1-8 Hamaura-cho, Chuo-ku, Niigata 951-8580, Japan

Fig. 2 Enamel surface roughness measurements for the Er,Cr:YSGG laser removal system (square data points) and the plier removal system (diamond data points). Vertical bars represent standard deviations for enamel surface roughness measurements of the Er,Cr:YSGG laser removal system (solid lines) and the plier removal system (dotted lines). *** $P < 0.001$