



Correction to: Autonomic function test during the COVID-19 pandemic: is it safe and sound?

Pietro Guaraldi¹

Published online: 7 August 2021
© Springer-Verlag GmbH Germany, part of Springer Nature 2021

Correction to: Clinical Autonomic Research (2021) 31:57–58
<https://doi.org/10.1007/s10286-021-00776-8>

The article “Autonomic function test during the COVID-19 pandemic: is it safe and sound?”, written by Pietro Guaraldi, was originally published online on the publisher’s internet portal on 2nd February 2021 with Open Access under a Creative Commons Attribution (CC BY) license 4.0. After publication in volume 31, issue 1, page 57–58, the author decided to cancel the Open Access. Therefore, the copyright of the article has been changed on 8th July 2021 to © Springer-Verlag GmbH Germany, part of Springer Nature 2021 with all rights reserved.

The original article has been corrected.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

The original article can be found online at <https://doi.org/10.1007/s10286-021-00776-8>.

✉ Pietro Guaraldi
pietro.guaraldi@ausl.bologna.it

¹ IRCCS Istituto delle Scienze Neurologiche di Bologna, UOC Clinica Neurologica NeuroMet, Ospedale Bellaria, via Altura 3, 40139 Bologna, Italy