CORRECTION



Correction: Sex- and age-dependent breeding plumage acquisition in monomorphic species, the Black-headed Gull *Chroicocephalus ridibundus*

Włodzimierz Meissner¹ · Emilia Czaplewska¹ · Agnieszka Ożarowska¹

Published online: 14 August 2023

© The Author(s) 2023

Correction: Journal of Ornithology

https://doi.org/10.1007/s10336-023-02089-1

In Table 3 of this article, the data in the row headed Females were mistakenly omitted and the correct Table 3 is given below.

Table 3 Moult parameters for adult males and females of the Black-headed Gull based on captured individuals

Sex	Mean start date (SE) and 95% CI	Duration in days (SE)	Mean end date (SE)	SD of the start date (SE)	Sample sizes		
					Pre-moult	In moult	Post-moult
Males	6 Feb (3.3) 30 Jan–13 Feb	48 (3.9)	26 Mar (1.2)	17.0 (0.7)	6	384	153
Females	13 Feb (3.0) 6 Feb–20 Feb	41 (3.5)	26 Mar (1.2)		31	57	129

Moult estimates are according to the best-fitted moult model with sex as a covariate and SD of the start date that did not differ between sexes

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will

need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at https://doi.org/10.1007/s10336-023-02089-1.



Ornithology Unit, Department of Vertebrate Ecology and Zoology, Faculty of Biology, University of Gdańsk, Wita Stwosza 59, 80-308 Gdańsk, Poland