

Erratum to: Stability-Indicating HPLC and RP-TLC Determination of Cefpirome Sulfate with Kinetic Study

Mohamed R. Elghobashy · Lories I. Bebawy ·
Samah S. Abbas · Rafeek F. Shokry

Published online: 28 January 2014
© Springer-Verlag Berlin Heidelberg 2014

Erratum to: Chromatographia (2013) 76:1141–1151
DOI 10.1007/s10337-013-2516-5

Unfortunately, during the production of this article a mistake occurred in the order of the chromatograms in Fig. 1.

The correct version of Fig. 1 is given here:

The online version of the original article can be found under
doi:[10.1007/s10337-013-2516-5](https://doi.org/10.1007/s10337-013-2516-5).

M. R. Elghobashy (✉) · S. S. Abbas
Analytical Chemistry Department, Faculty of Pharmacy,
Cairo University, Kasr El-Aini St., 11562 Cairo, Egypt
e-mail: mohamedrefaat73@yahoo.com

L. I. Bebawy · R. F. Shokry
National Organization for Drug Control and Research
(NODCAR), 51 Wezaret El-Zeraa St., Dokki, Cairo, Egypt




Fig. 1 HPLC chromatograms of: **a** Cefpirome sulfate ($30.0 \mu\text{g mL}^{-1}$). **b** The laboratory mixture of cefpirome sulfate ($25.0 \mu\text{g mL}^{-1}$) with its acid, alkaline or photo degradation products ($25.0 \mu\text{g mL}^{-1}$) showing degradation products A and B. **c** The laboratory mixture of cefpirome

sulfate ($25.0 \mu\text{g mL}^{-1}$) with its oxidative degradation products ($25.0 \mu\text{g mL}^{-1}$) showing degradation products A, B and C. **d** The dosage form of cefpirome sulfate ($45.0 \mu\text{g mL}^{-1}$) at the expiry date showing oxidative degradation products A and B