## **CORRECTION**



## Correction to: Differences in C and N release from *Alliaria petiolata* leaves and stems: consequences for nutrient cycling in forest ecosystems

Katarzyna Rawlik<sup>1</sup> · Andrzej M. Jagodziński<sup>1,2</sup>

Published online: 30 August 2022

© Springer-Verlag GmbH Germany, part of Springer Nature 2022

Correction to: European Journal of Forest Research https://doi.org/10.1007/s10342-022-01469-1

In the original publication of the article, the y-axis description of Fig. 2 was published incorrectly. The correct description is given in this correction (Fig. 2).

The original article has been corrected.

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at https://doi.org/10.1007/ $\,$ s10342-022-01469-1.



<sup>⊠</sup> Katarzyna Rawlik rawkat@man.poznan.pl

<sup>&</sup>lt;sup>1</sup> Institute of Dendrology, Polish Academy of Sciences, Kórnik, Poland

Department of Game Management and Forest Protection, Faculty of Forestry and Wood Technology, Poznań University of Life Sciences, Poznań, Poland

Fig. 2 Mean percent of mass remaining of nutrients (% relative to initial mass): a nitrogen (N), b carbon (C) in decomposing leaves and stems of *A. petiolata* litter





