

Botulinum Toxin *vs.* Topical Glyceryl Trinitrate Ointment for Pain Control in Patients Undergoing Hemorrhoidectomy: A Randomized Trial

Rosalia Patti, M.D.,¹ Piero Luigi Almasio, M.D.,² Matteo Arcara, M.D.,¹
Sergio Sammartano, M.D.,¹ Pietro Romano, M.D.,¹ Calogero Fedè, Ph.D.,³
Gaetano Di Vita, M.D.¹

¹ *Department of Surgical and Oncologic Science, Division of General Surgery, University of Palermo, Palermo, Italy*

² *Department of Gastroenterology, University of Palermo, Palermo, Italy*

³ *Department of Statistics and Mathematics, University of Palermo, Palermo, Italy*

In this article (Dis Colon Rectum 2006;49:1741–8, DOI: 10.1007/s10350-006-0677-0), some of the authors' names were inverted. Author names are correct as displayed here.

The online version of the original article can be found at: <http://dx.doi.org/10.1007/s10350-006-0677-0>.

Correspondence to: Gaetano Di Vita, M.D., Department of Surgical and Oncologic Science, Division of General Surgery, University of Palermo, Palermo, Italy, e-mail: divitagaetano@libero.it

Dis Colon Rectum 2006; 50: 122

DOI: 10.1007/s10350-006-0837-2

© The American Society of Colon and Rectal Surgeons

Published online: 20 November 2006