



## Correction to: Validation trial for efficacy of ultrasonographic measurement method to predict ascitic volume using virtual ultrasonography

Masashi Hirooka<sup>1</sup> · Yohei Koizumi<sup>1</sup> · Yusuke Imai<sup>1</sup> · Atsushi Yukimoto<sup>1</sup> · Takao Watanabe<sup>1</sup> · Osamu Yoshida<sup>1</sup> · Masanori Abe<sup>1</sup> · Yoichi Hiasa<sup>1</sup>

Published online: 1 August 2019  
© The Japan Society of Ultrasonics in Medicine 2019

**Correction to:**  
**Journal of Medical Ultrasonics (2018) 45:555–564**  
<https://doi.org/10.1007/s10396-018-0879-9>

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

In the original publication of the article the formula under the heading “Three-point method” was incorrect, the correct formula is given in this correction.

$$(1100/3) \times (A + B + 0.5 \times C).$$

---

The original article can be found online at <https://doi.org/10.1007/s10396-018-0879-9>.

---

✉ Yoichi Hiasa  
[hiasa@m.ehime-u.ac.jp](mailto:hiasa@m.ehime-u.ac.jp)

<sup>1</sup> Department of Gastroenterology and Metabology, Ehime University Graduate School of Medicine, Shitsukawa, Toon, Ehime 791-0295, Japan