

Erratum

Erratum to: A Numerical Model of the Respiratory Modulation of Pulmonary Shunt and PaO₂ Oscillations for Acute Lung Injury

ALESSANDRO BEDA,^{1,2} FREDERICO C. JANDRE,¹ and ANTONIO GIANNELLA-NETO¹

¹Pulmonary Engineering Lab, Biomedical Engineering Program, COPPE – Federal University of Rio de Janeiro, Rio de Janeiro, Brazil; and ²Pulmonary Engineering Group, Clinic of Anesthesiology and Intensive Care Therapy, University Clinic Carl Gustav Carus, Technical University Dresden, Dresden, Germany

**Erratum to: *Annals of Biomedical Engineering*
DOI 10.1007/s10439-009-9862-3**

The acknowledgements were omitted from this article.

ACKNOWLEDGMENTS

This paper was partially funded by the Brazilian Agencies CNPq, CAPES and FAPERJ.

Address correspondence to Antonio Giannella-Neto, Pulmonary Engineering Lab, Biomedical Engineering Program, COPPE – Federal University of Rio de Janeiro, Rio de Janeiro, Brazil. Electronic mail: ale.beda@gmail.com, jandre@peb.ufrj.br, agn@peb.ufrj.br

The online version of the original article can be found under doi: [10.1007/s10439-009-9862-3](https://doi.org/10.1007/s10439-009-9862-3).