

Retraction Note

## Retraction Note to: Non-thermal Plasma Induces Apoptosis in Melanoma Cells *via* Production of Intracellular Reactive Oxygen Species

RACHEL SENSENIG,<sup>1</sup> SAMEER KALGHATGI,<sup>2,6</sup> EKATERINA CERCHAR,<sup>1</sup> GREGORY FRIDMAN,<sup>3</sup>  
ALEXEY SHERESHEVSKY,<sup>1</sup> BEHZAD TORABI,<sup>4</sup> KRISHNA PRIYA ARJUNAN,<sup>3</sup> ERICA PODOLSKY,<sup>1</sup>  
ALEXANDER FRIDMAN,<sup>5</sup> GARY FRIEDMAN,<sup>2</sup> JANE AZIZKHAN-CLIFFORD,<sup>4</sup> and ARI D. BROOKS<sup>1</sup>

<sup>1</sup>Department of Surgery, College of Medicine, Drexel University, Philadelphia, PA 19102, USA; <sup>2</sup>Electrical and Computer Engineering, Drexel University, Philadelphia, PA 19104, USA; <sup>3</sup>School of Biomedical Engineering, Drexel University, Philadelphia, PA 19104, USA; <sup>4</sup>Molecular Biology and Biochem, College of Medicine, Drexel University, Philadelphia, PA 19102, USA; <sup>5</sup>Department of Mechanical Engineering and Mechanics, Drexel University, Philadelphia, PA 19104, USA; and <sup>6</sup>Department of Biomedical Engineering, Centre for Advanced Biotechnology, Boston University, ERB 301, 44 Cummington St, Boston, MA 02215, USA

### Retraction to: Annals of Biomedical Engineering (2011) 39(2): 674–687 DOI 10.1007/s10439-010-0197-x

The Editors of the Annals of Biomedical Engineering are officially retracting the published article entitled, “Non-thermal Plasma Induces Apoptosis in Melanoma Cells *via* Production of Intracellular Reactive Oxygen Species” by Sensenig, et al., Annals of Biomedical Engineering (2011) 39: 674–687; DOI: [10.1007/s10439-010-0197-x](https://doi.org/10.1007/s10439-010-0197-x).

This article is being retracted due to the discovery of identical data in the following publication: “Floating Electrode Dielectric Barrier Discharge Plasma in Air Promoting Apoptotic Behavior in Melanoma Skin Cancer Cell Lines” by Fridman et al. (Plasma Chem Plasma Process (2007) 27:163–176; DOI: [10.1007/s11090-007-9048-4](https://doi.org/10.1007/s11090-007-9048-4))

The Annals of Biomedical Engineering employs the highest standards of ethics, content, and integrity, and does not tolerate plagiarism or other improprieties.

---

Address correspondence to Sameer Kalghatgi, Department of Biomedical Engineering, Centre for Advanced Biotechnology, Boston University, ERB 301, 44 Cummington St, Boston, MA 02215, USA. Electronic mail: [suk22@drexel.edu](mailto:suk22@drexel.edu)

The online version of the original article can be found under doi: [10.1007/s10439-010-0197-x](https://doi.org/10.1007/s10439-010-0197-x).