



Correction

Correction to: Clinical Applicability of an Existing Proportionality Scheme in Three-Segment Kinetic Foot Models

MAARTEN EERDEKENS ^{1,4}, FILIP STAES,¹ GIOVANNI A. MATRICALI,^{2,3} and KEVIN DESCHAMPS^{1,4,5,6}

¹Musculoskeletal Rehabilitation Research Group, Department of Rehabilitation Sciences, KU Leuven, Tervuursevest 101, 3001 Leuven (Heverlee), Belgium; ²Department of Orthopedics, UZ Leuven, Leuven, Belgium; ³Department of Development and Regeneration, KU Leuven, Leuven, Belgium; ⁴Clinical Motion Analysis Laboratorium (CMAL), UZ Leuven, Pellenberg, Belgium; ⁵Division of Podiatry, Institut D'Enseignement, Supérieur Parnasse Deux-Alice, Brussels, Belgium; and ⁶Department of Podiatry, Artevelde University College, Ghent, Belgium

Correction to:

Annals of Biomedical Engineering

<https://doi.org/10.1007/s10439-019-02344-8>

This article was updated to correct Giovanni A. Matricali's name.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Address correspondence to Maarten Eerdekens, Musculoskeletal Rehabilitation Research Group, Department of Rehabilitation Sciences, KU Leuven, Tervuursevest 101, 3001 Leuven (Heverlee), Belgium. Electronic mail: maarten.eerdekens@uzleuven.be

The original article can be found online at <https://doi.org/10.1007/s10439-019-02344-8>.