


CORRECTION

Correction to: Herbivore functional traits and macroinvertebrate food webs have different responses to leaf chemical compounds of two macrophyte species in a tropical lake's littoral zone

Hugo Henrique L. Saulino  · Ross M. Thompson · Susana Trivinho-Strixino

Published online: 12 June 2018
© Springer Nature B.V. 2018

Correction to: Aquat Ecol

<https://doi.org/10.1007/s10452-018-9652-9>

In the original publication of an article, third author's name was misspelt and some values were missed in Table 2. The correct name and the Table 2 are given in this correction.

The original article can be found online at <https://doi.org/10.1007/s10452-018-9652-9>.

H. H. L. Saulino
Programa de Pós Graduação em Ecologia e Recursos Naturais – PPGERN, Universidade Federal de São Carlos – UFSCar, Rodovia Washington Luiz, Km 235, SP 310, São Carlos 13565-905, Brazil

R. M. Thompson
Institute for Applied Ecology – University of Canberra, Canberra, ACT, Australia

S. Trivinho-Strixino
Laboratório de Ecologia de Insetos Aquáticos, Departamento de Hidrobiologia, Universidade Federal de São Carlos – UFSCar, Rodovia Washington Luiz, Km 235, SP 310, São Carlos 13565-905, Brazil

H. H. L. Saulino (✉)
Araraquara, Brazil
e-mail: hugosaulino@gmail.com

Table 2 Herbivore functional traits score associated white ginger (*H. coronarium*) and pickerelweed (*P. cordata*) macrophyte leaves in the littoral zone of the Fazzari Reservoir, Cerrado biome, Brazil

Taxa	Functional trait score							Leaf species		References
	Functional trait score							Leaf species		
	FFG	Herbivory	Length	Shelter	Habit	Respiration	<i>H. coronarium</i>	<i>P. cordata</i>		
<i>Caenis caenis</i>	scr	2	2	1	3	2	×	×	Baptista et al. (2006)	
<i>Claeodes</i>	scr	2	2	1	3	2	×	–	Brasil et al. (2014)	
<i>Mirocutis</i>	scr/cg	1	2	1	3	2	×	–	Baptista et al. (2006)	
<i>Ulmeritrus</i>	scr	2	2	1	3	2	–	×	Brasil et al. (2014)	
<i>Marilia</i>	shr/cg	1	3	3	1	2	×	×	Reynaga and Martín (2013)	
Scirtidae	scr	2	3	1	1	2	–	×	Merrit and Cummins (1996)	
<i>Beardius phytophilus</i>	shr	2	1	2	2	1	–	×	Buttaka et al. (2014)	
<i>Endotribelos bicolor</i>	shr	2	2	2	2	1	×	×	Leite-Rossi et al. (2015)	
<i>Endotribelos calophylli</i>	shr	2	2	2	2	1	×	×	Leite-Rossi et al. (2015)	
<i>Endotribelos hesperium</i>	shr	2	2	2	2	1	–	×	Leite-Rossi et al. (2015)	
<i>Phaenopsectra</i>	shr/cg	1	2	2	2	1	×	–	Leite-Rossi et al. (2015)	
<i>Polypedium group fallax</i>	shr/cg	1	1	2	3	1	×	×	Leite-Rossi et al. (2015)	
<i>Polypedium (Polypedium)</i>	shr/cg	1	1	2	3	1	×	–	Leite-Rossi et al. (2015)	
<i>Polypedium (Tripodura)</i>	shr/cg	1	1	2	3	1	×	×	Buttaka et al. (2014)	
<i>Stenochironomus</i>	shr	2	2	4	2	1	×	×	Leite-Rossi et al. (2015)	

shr shredder, sc scraper, cg collector-gathering, x the presence of taxa, – the absence of taxa