



# Correction to: Evaluating the optimal timing and capacity of investments in flexible combined heat and power generation for energy-intensive industries

Dimitrios Zormpas<sup>1</sup> · Giorgia Oggioni<sup>2</sup>

Published online: 3 May 2023  
© The Author(s) 2023

## Correction to: Annals of Operations Research <https://doi.org/10.1007/s10479-023-05273-x>

This correction is published as the text published under Statements and Declaration section was mismatched due to proofing error.

Original article has been corrected.

**Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

---

The online version of the original article can be found at <https://doi.org/10.1007/s10479-023-05273-x>

---

✉ Dimitrios Zormpas  
[dimitrios.zormpas@uoc.gr](mailto:dimitrios.zormpas@uoc.gr)

<sup>1</sup> Department of Economics, University of Crete, Rethymno 74100, Greece

<sup>2</sup> Department of Economics and Management, University of Brescia, Via S. Faustino, 74/b, Brescia 25122, Italy