

CORRECTION

Correction to: *Cupriavidus malaysiensis* sp. nov., a novel poly(3-hydroxybutyrate-co-4-hydroxybutyrate) accumulating bacterium isolated from the Malaysian environment

Hema Ramachandran · Nur Asilla Hani Shafie · Kumar Sudesh ·
Mohamad Noor Azizan · Mohamad Isa Abdul Majid · Al-Ashraf Abdullah Amirul

Published online: 28 December 2017
© Springer International Publishing AG, part of Springer Nature 2017

Correction to: Antonie van Leeuwenhoek
<https://doi.org/10.1007/s10482-017-0958-8>

In the original publication of the article, it was noted that Fig. 1 present an image of *Cupriavidus malaysiensis* strain USMAHM13 and not of strain USMAA1020, as indicated in the figure legend. The image in the original version is thus noted to serve as a record of strain USMAHM13 and the corrected version of Fig. 1 is reprinted below.




Fig. 1 Transmission electron micrograph of *Cupriavidus malaysiensis* USMAA1020^T grown in MSM containing γ -butyrolactone for 48 h through one-stage cultivation. Bar represents 500 nm

The original article can be found online at <https://doi.org/10.1007/s10482-017-0958-8>.

H. Ramachandran · K. Sudesh · A.-A. A. Amirul (✉)
School of Biological Sciences, Universiti Sains Malaysia,
11800 Penang, Malaysia
e-mail: amirul@usm.my

H. Ramachandran
Quest International University Perak, 30250 Ipoh, Perak,
Malaysia

N. A. H. Shafie · A.-A. A. Amirul
Centre for Chemical Biology, Universiti Sains Malaysia,
Sains@USM, 11900 Bayan Lepas, Penang, Malaysia

M. N. Azizan
Universiti Kuala Lumpur (UniKL-MICET) Taboh
Naning, 78000 Alor Gajah, Melaka, Malaysia

M. I. A. Majid
National Poison Centre, Universiti Sains Malaysia,
11800 Penang, Malaysia

A.-A. A. Amirul
Malaysian Institute of Pharmaceuticals and Nutraceuticals
(IPharm), National Institutes of Biotechnology Malaysia
(NIBM), MOSTI, 11700 Penang, Malaysia