CORRECTION

Correction to: Early detection monitoring for non-indigenous fishes; comparison of survey approaches during two species introductions in a Great Lakes port

Greg S. Peterson · Joel C. Hoffman · Anett S. Trebitz · Chelsea I. Hatzenbuehler · Jared T. Myers · Jason E. Ross · Sara L. Okum · Erik M. Pilgrim

Published online: 13 December 2021

This is a U.S. government work and not under copyright protection in the U.S.; foreign copyright protection may apply 2021

Correction to: Biol Invasions <https://doi.org/10.1007/s10530-021-02655-9>

The original article has been corrected.

In the original publication of the article, the Table 4 was published with misalignment and the correct alignment of Table 4 is given in this correction.

The original article can be found online at <https://doi.org/10.1007/s10530-021-02655-9>.

G. S. Peterson (✉) · J. C. Hoffman · A. S. Trebitz
Center for Computational Toxicology and Ecology, Great
Lakes Toxicology and Ecology Division, US
Environmental Protection Agency, 6201 Congdon Blvd,
Duluth, MN 55804, USA
e-mail: Peterson.Greg@epa.gov

E. M. Pilgrim
Center for Environmental Measurement and Modeling,
Watershed and Ecosystem Characterization Division, US
Environmental Protection Agency, 26 Martin Luther King
Dr, Cincinnati, OH 45268, USA

C. I. Hatzenbuehler
SpecPro Professional Services, Contractor To US
Environmental Protection Agency, 6201 Congdon Blvd,
Duluth, MN 55804, USA

J. T. Myers · J. E. Ross
US Fish and Wildlife Service, Ashland Fish and Wildlife
Conservation Office, 2800 Lakeshore Drive E, Ashland,
WI 54806, USA

S. L. Okum · E. M. Pilgrim
Pegasus Professional Services, Contractor To US
Environmental Protection Agency, 26 Martin Luther King
Dr, Cincinnati, OH 45268, USA

Table 4 Number of White bass and Gizzard shad detection sites by year and season, for different early detection monitoring survey approaches

Species; survey approach	Survey season	Survey year			
		2015	2016	2017	2018
White bass; Ichthyoplankton	Summer	10	7	5	NS
White bass; Adult-Juvenile	Spring	NS	0	0	1 (1)
	Summer	2 (2)	1 (1)	8 (35)	4 (6)
	Fall	NS	4 (7)	6 (9)	0
White bass; eDNA	Summer	NS	1	NS	1
	Fall	NS	0	NS	1
Gizzard shad; Ichthyoplankton	Summer	1	0	0	NS
Gizzard shad; Adult-Juvenile	Spring	NS	0	0	0
	Summer	0	0	0	0
	Fall	NS	0	0	0
Gizzard shad; eDNA	Summer	NS	0	NS	1
	Fall	NS	3	NS	3

Number of individuals associated with adult-juvenile surveys shown in parentheses. *NS* = No survey conducted.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.