

Correction to: Metallic ion content and damage to the DNA in oral mucosa cells of children with fixed orthodontic appliances

Esther Fernández-Miñano · Clara Ortiz · Ascensión Vicente · José L. Calvo Guirado · Antonio J. Ortiz

Published online: 3 May 2018
© Springer Science+Business Media, LLC, part of Springer Nature 2018

Correction to: *Biometals* (2011) 24:935–941
<https://doi.org/10.1007/s10534-011-9448-z>

The correct representation of the authors' names is listed above and below and should be treated as definitive.

Due to an unfortunate turn of events, the surname of the fourth author appeared incorrectly in the original publication and should have read Calvo Guirado.

A1 The original article can be found online at
A2 <https://doi.org/10.1007/s10534-011-9448-z>.

A3 E. Fernández-Miñano · A. J. Ortiz (✉)
A4 Integral Pediatric Dentistry Teaching Unit, Faculty of
A5 Medicine, Dental Clinic, University of Murcia, Morales
A6 Meseguer Hospital, Avda. Marqués de los Vélez s/n,
A7 30008 Murcia, Spain
A8 e-mail: ajortiz@um.es

A9 C. Ortiz
A10 Department of Physiology, Faculty of Medicine,
A11 University of Murcia, 30100 Murcia, Spain

A12 A. Vicente
A13 Docent Unit of Orthodontics, Faculty of Medicine, Dental
A14 Clinic, University of Murcia, 30008 Murcia, Spain

A15 J. L. Calvo Guirado
A16 General Dentistry, Faculty of Medicine, Dental Clinic,
A17 University of Murcia, 30008 Murcia, Spain